



# SMARTBUYS

JANUARY-FEBRUARY 2021

Big savings on some of your favorite brands from Capital Electric

Fail-Safe



**GAW Germicidal Air Wall Mount** 



Cooper Lighting Solutions
Pages 11-16



**FREE BEANIE WITH PURCHASE** of Square D panel or disconnect product!

See page 34!

**Scuity**Brands

# CARHARTT CARE PACKAGE PROMOTION

See page 4 for details!









## CONNECTRAC

# **EXPRESS WIREWAYS**

Pre-wired Power | Quick & Simple Installation | Accommodates Data | Ultra-low Profile System





# EXPRESS WIREWAYS



#### 2.7 Under-Carpet Wireway Express Kit

A hidden solution for power & data used in spaces with carpet tiles.

- Most popular Express Kit
- Elegantly disappears under carpet tiles
- Most forgiving install
- Don't have to cut carpet

SKU	DESCRIPTION	INCLUDES	TECH INFO
XP-UN-096-288Q	8' Wireway with quad receptacle	24' pre-wired power infeed, top cap, bottom track, ABS plastic and MDF ramps, wall base trim	<ul><li>Holds (0-4) Data Cables</li><li>1000 lb load test</li></ul>



#### 2.7 On-Floor Wireway Express Kit

Installs on top of any flooring to supply power & data where it's needed.

- Smallest footprint on-floor
- Quickest install
- Durable anodized aluminum finish

#### Optional 6' Wireway Extension

Allows on-floor system to extend up to 12' length.

Cuttable in field for exact sizing

SKU	DESCRIPTION	INCLUDES	TECH INFO
XP-ON-072-288Q	6' Wireway with quad receptacle	24' pre-wired power infeed, top cap, bottom track, end component, wall base trim	<ul><li>Holds (0-4)</li><li>Data Cables</li><li>1000 lb load test</li></ul>
ON-2.7-072-AL	6' Wireway Extension	Top cap and bottom track (uses wall base trim and end component from original kit)	



07072020

CONNECTRAC



capitalelectricsupply.com

3

# CARHARTI CARHARTI CARHARE CARHARE CARHARE CARHARE PACKAGE PROMOTION

# From January 1 to February 28, 2021,

for every \$250.00 or more spent at Capital Electric store counter locations on Lithonia, Juno and Sensor Switch product on a single ticket, earn a chance to win a Carhartt Duffel Bag!

Plus, you get all the goodies that come along with it:

Carhartt Jacket
Carhartt Hoodie
Carhartt Button-Up Shirt
Carhartt Hat



Capital Electric

#### How do you win?

Promotion is tracked by Capital Electric corporate on your behalf. At the end of the promotional period, local Capital Electric branches will be notified of their winner, and will contact the winning customer to obtain their apparel size and will arrange for care package pickup.

Terms and Conditions: This is not a game of chance. Void where prohibited. Offer valid on purchases made from January 1 - February 28, 2021. While supplies last. Capital Electric reserves the right to limit purchase quantities or cancel promotion at any time at its sole discretion without prior notice. All federal, state, and local laws and regulations apply. Redemption items will be provided according to the rules outlined in the promotion. Offer valid only for product end users. No cash value. Offer not valid with any other offer or promotion. Capital Electric reserves the right to substitute items based on manufacturability at our sole discretion. Each invoice may only be submitted once. Employees of Capital Electric, its suppliers, and their immediate families and household members are not eligible to participate. Immediate families include spouses, parents and step parents, siblings and step siblings, and children and step children. Any tax obligations relating to the prizes are the sole responsibility of the prize winner. In the event of dispute, the decision of Capital Electric is final.

For internal use only: Use duffel bag for store display and hold for branch winner until branch is notified by corporate. Apparel items will arrive to branch at the end of the promotional period after determining winner's apparel size.



# 

NEW!! Lithonia Lighting WPX1-LED-P2-50K-MV0LT-DDBXD-M4 24W LED Wall Pack 2900 Lumens 4000K 120/277V [1596323]

# \$147.95 ea. || 1596325

NEW!! Lithonia Lighting WPX2-LED-40K-MV0LT-DDBXD-M2 47W LED Wall Pack 6000 Lumens 4000K 120/277V [1596325]

# 

NEW!! Lithonia Lighting WPX3-LED40K-MV0LT-DDBXD 69W LED Wall Pack 9200 Lumens 4000K 120/277V [1605749]

# SMART**BUYS**

Pricing valid January 1 - February 28, 2021





#### **Quick Facts:**

- Three sizes deliver 1,550 to 9,200 lumens
- Replace up to 400W metal halide
- Photocell and battery pack options
- Available in 3000K, 4000K and 5000K
- DLC listed
- 5-year limited warranty







Commercial Outdoor

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.



\$41.95 ea. 1331170

Lithonia Lighting QTE-LED-P1-120-THK-DDB-M6 24W LED Flood 2500 Lumens 4000K Bronze [1331170]

\$41.95 ea. 1331171

Lithonia Lighting QTE-LED-P1-120-THK-WH-M6 24W LED Flood 2500 Lumens 4000K White [1331171]

\$56.50 ea. || 1331172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172 || 1391172

Lithonia Lighting QTE-LED-P2-40K-120-THK-DDB-M6 40W LED Flood 4000 Lumens 4000K Knuckle Fitter [1331172]

Lithonia Lighting QTE-LED-P2-40K-120-YK-DDB-M6 40W LED Flood 4000 Lumens 4000K Yoke Mount [1331174]

Lithonia Lighting QTE-LED-P3-40K-120-THK-DDB-M6 66W LED Flood 6750 LUMENS 4000K Knuckle Fitter [1331175]

\$69.95 ea. || 1331176

Lithonia Lighting QTE-LED-P3-40K-120-YK-DDB-M6 66W LED Flood 6750 LUMENS 4000K Yoke Mount [1331176]



#### **Quick Facts:**

- Replaces up to 500W Quartz Halogens
- DLC Listed!
- Available in two colors Textured Bronze and White
- 4000K and 5000K CCT options
- 5 Year warranty

Outdoor





# **SMARTBUYS**

Pricing valid January 1 - February 28, 2021





# TFX LED

#### Floodlights

The TFX LED floodlights from Lithonia Lighting deliver the best value in lighting, from a brand you can trust. Superior performance and robust design make this product suitable for any general purpose floodlighting application.

#### **FEATURES:**

- Ideal solution to replace up to 400W metal halide floodlights
- Floodlight pays for itself in less than 2 years
- Robust design and cost effective ideal for outdoor installations













7

### 1456181

\$169.95 ea.

NEW!! Lithonia Lighting TFX1-LED-40K-MVOLT-YK-DDBXD-M6 54W LED Flood 7200 Lumens 4000K Knuckle Mount Bronze [1456181]

#### 1456183

**\$288.95 ea.** 

NEW!! Lithonia Lighting TFX2-LED-40K-MV0LT-YK-DDBXD 94W LED Flood 12,000 Lumens 4000K Yoke Mount Bronze [1456183]

#### 

\$433.95 ea

NEW!! Lithonia Lighting TFX3-LED-40K-MVOLT-YK-DDBXD 188W LED Flood 25,000 Lumens 4000K Yoke Mount Bronze [1456184]

## **NEW PRODUCTS!**



\$93.50 ea.

1399575

NEW!! Lithonia TWR1-LED-ALO-40K-MVOLT-DDBTXD-M2

Wall Pack [1399575]

Adjustable light output 1,100 - 6,200 Lumens.

NEW!! Lithonia TWR2-LED-ALO-40K-MVOLT-DDBTXD-M2

Wall Pack [1475285]

Adjustable light output 3,050 to 11,800 Lumens.

Adjustable Light Output Feature allows the contractor to adjust light input during installation.

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

#### **BOLLARD RETROFITS** 360° OMNI DIRECTIONAL DESIGN





















three color temps in one





- Default setting is 4000K but can be changed to 3000K or 5000K with a flip of a switch.
- Available in 11W, 14W, 18W & 24W models replacing up to 150W HID.
- FlexColor allows for a reduction of skus needed to be stocked.
- Multi-directional mounting capability & 360° design. Use base down, base up or base sideways without affecting performance.
- Pretested & potted drivers are burnt in 3x prior to shipping and protected against vibration & moisture.
- Expertly engineered to work efficiently in enclosed fixtures & damp environments, while also protected against insects & dust.
- Dual stage MOV protection with integrated 6kA surge.



Light Efficient Design LED-8037E345-A 11W Flex Color Bollard Lamp Replacement Lamp Med Base [1606195]



Light Efficient Design LED-8038E345-A 14W Flex Color Bollard Lamp Replacement **Lamp Med Base** [1606196]



Light Efficient Design LED-8039E345-A 18W Flex Color Bollard Lamp Replacement **Lamp Med Base** [1606197]



Light Efficient Design LED-8039M345-A 18W Flex Color Bollard Lamp Replacement Lamp Mogul Base [1606198]



Light Efficient Design LED-8029E345-A 24W Flex Color Bollard Lamp Replacement **Lamp Med Base** [1606199]



Light Efficient Design LED-8029M345-A 24W Flex Color Bollard Lamp Replacement Lamp Mogul Base [1606200]

# Let Capital be your source for

electrical PVC, steel, and flex conduit








9

**LOCALLY IN STOCK** 



Visit our local counter or call your local rep for all your electrical conduit needs.



# **KICHLER**®

# **Kichler 52" LED STARKK Series Ceiling Fan**





**\$239.95 ea.** 

Kichler 330174NI 52" Starkk Ceiling Fan W/ LED Light Kit Brushed Nickel Finish [1105453]





\$239.95 ea.

Kichler 330174MWH 52" Starkk Ceiling Fan W/ LED Light Kit Matte Whte Finish [1087091]





**\$239.95 ea.** 

Kichler 330174PN 52" Starkk Ceiling Fan W/ LED Light Kit Polished Nickel Finish [1090975]

See your Capital Electric Sales Representative for more information.

LED LAMPS | FIXTURES | DRIVERS | LED RETROFIT KITS | BALLASTS





#### **Fail-Safe**

#### **GAW Germicidal Air Wall Mount**

- Able to be used in occupied spaces
- Designed to use the latest in Germicidal UV source technology
- Compact 2ft length
- Large area of coverage
- Horizontal distribution keeps GUV in upper air
- UL 1598 Listed
- Minimum Ceiling Height of 9'
- Minimum Mounting Height 8'3" to bottom of the fixtures
- Professional layouts can be completed by Cooper Lighting Solutions upon request



#### **Fail-Safe**

#### **GAC Germicidal Air Ceiling Mount**

- Able to be used in occupied spaces
- Designed to use the latest in Germicidal UV source technology
- Compact 2ft length
- Large area of coverage
- Horizontal distribution keeps GUV in upper air
- UL 1598 Listed
- Minimum ceiling height of 9'
- Minimum recommended spacing is 12' on center and 6' from nearest wall
- Professional layouts can be completed by Cooper Lighting Solutions upon request

#### Pure protection against bacteria and viruses using the power of light



#### Trusted

35 years experience in UV-C disinfection and strong application expertise.



**Effective** 

Proven effectiveness against bacteria, mold, mildew, and viruses.



**Continuous** 


Can be used in occupied spaces.



Versatile

Can be used in numerous applications.

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.



Save money Save time Peace of mind

The CGT Panel LED series is the contractor go-to panel providing customers an affordable panel that fits in shallow plenums with room to spare. Acrylic micro optics provide uniform illumination from corner to corner. It's back-lit, durable design provides immediate opportunities to replace fluorescent fixtures with a LED solution. CGT is an excellent lighting solution for commercial office spaces, schools, healthcare

**\$42.95 ea.** 



**NEW!! Cooper Lighting Solutions 24CGT4535C** [1545925]

and retail merchandising areas.



**NEW!! Cooper Lighting Solutions** NEW!! Cooper Lighting 24CGT4540C [1525013]



NEW!! Cooper Lighting Solutions **24CGT4550C** [1545926]

**\$27.95 ea.** 



**NEW!! Cooper Lighting Solutions 22CGT3535C** [1545927]



**NEW!! Cooper Lighting Solutions** NEW!! Gooper Lighting 22CGT3540C [1536909]



NEW!! Cooper Lighting Solutions **22CGT3550C** [1545928]



# 

NEW!! Cooper Lighting Solutions HLA406VWFL9FS1EMWR 4" LED Directional with Remote Driver/Junction Box [1469796]

- Can ess, recessed lighting without requiring a housing or j-box
- Airtite, wet rated, can be used in shower and outdoor light applications
- Wide beam angle, 80°
- Housing and j-box not required; easy to install spring clips firmly secure fixture in ceiling
- Repositionable driver junction box



#### **HLB SL4 Series 6 Inch**

NEW!! Cooper Lighting Solutions HLBSL6-09-9FS23-1E-MW-R, 2700K/3000K/3500K [1545919]

\$14.95 ea. || 1545921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921 || 1845921

NEW!! Cooper Lighting Solutions HHLBSL6-09-9FS35-1E-MW-R, 3000K/4000K/5000K [1545921]

**HLB SL4 Series 4 Inch** 

\$13.95 ea. || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 1545922 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154962 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 154592 || 155902 || 155902 || 155902 || 155902 || 155902 || 1

NEW!! Cooper Lighting Solutions HLBSL4-06-9FS23-1E-MW-R, 2700K/3000K/3500K [1545922]

NEW!! Cooper Lighting Solutions HLBSL4-06-9FS35-1E-MW-R, 3000K/4000K/5000K [1545923] **HALO** 

**HLBSL** 

LED Lens Downlight with Remote Driver / Junction Box

**Typical Applications** 

Residential

#### **Top Product Features**

- Direct mount does not require recessed housing or junction box
- Delivers up to 1,049 lumens
- Achieves L70 at 35,000 hours in IC and non-IC applications
- 3 temperature CCT selectable. 2700K/3000K/3500K and 3000K/4000K/5000K models



# **SMARTBUYS**

Pricing valid January 1 - February 28, 2021



Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

## **NEW PRODUCTS!**





Save money

Save time

**Peace of mind** 

#### **LHB LED High Bay**

- 13" by 24" footprint
- 0-10V dimming standard
- Standard diffused lens provides added protection and glare control
- High performance efficacy up to 143 lm/W
- Efficient 1-for-1 replacement of linear fluorescent and HID fixtures
- Medium distribution
- Additional lumen packages, color temperatures, and size configurations available from the factory
- 80CRI standard







LM79 / LM80 Compliant







**QO4.90 Ga.**NEW!! LHB-12-UNV-L840-CD-U 12,000

**NEW!! LHB-12-UNV-L840-CD-U 12,000 Lumen LED High Bay 120/277V** [1517006]



NEW!! LHB-18-UNV-L840-CD-U 18,000 Lumen LED High Bay 120/277V [1426855]



NEW!! LHB-24-UNV-L840-CD-U 24,000 Lumen LED High Bay 120/277V [1458855]

# SMART**BUYS**

Pricing valid January 1 - February 28, 2021







\$27.95 ea.
Cooper Lighting Solutions

Cooper Lighting Solutions
RL4069S1EWHDM 4" LED Recessed Trim
Direct Mount CCT Selectable [1417413]

\$27.95 ea.
Cooper Lighting Solutions

Cooper Lighting Solutions
RL6069S1EWHDM 6" LED Recessed Trim
Direct Mount CCT Selectable [1400481]

#### Square Polycarbonate CCT Motion Floodlight Series









MST18VC Series

MST28VC Series



Catalog Number	Non-LED Equivalent	Head Count	Lumens	Watts	Voltage	Mounting	Controls	UPC
MST18VCB	90W Inc.	2	1,346	13	120V	Wall / Eave	M (180°)	080083837236
MST18VCW	90W Inc.	2	1,346	13	120V	Wall / Eave	M (180°)	080083837250
MST28VCB	180W Inc.	2	2,200	20	120V	Wall / Eave	M (180°)	080083837274
MST28VCW	180W Inc.	2	2,200	20	120V	Wall / Eave	M (180°)	080083837298

**\$46.95 ea.** 



NEW!! Cooper Lighting Solutions MST18VCB Twin Motion LED Flood Light 1100LM Bronze [1480045]

**\$46.95 ea.** 



NEW!! Cooper Lighting Solutions MST18VCW
Twin Motion LED Flood Light 1100LM White [1480046]

**\$58.95 ea.** 



NEW!! Cooper Lighting Solutions MST28VCB Twin Motion LED Flood Light 2000LM Bronze [1480047]

**\$58.95 ea.** 



NEW!! Cooper Lighting Solutions MST28VCW Twin Motion LED Flood Light 2000LM White [1480048]









Save money

Save time

Peace of mind

The Metalux FM is an Energy Star LED flushmount that comes with a field selectable CCT switch. The FM with selectable CCT provides light color options (from warm to bright white) to suit any decor and space. Typical surface mount applications include bedrooms, closets, corridors, stairways, and utility rooms.

**\$28.95 ea.** 



NEW!! Cooper Lighting Solutions FM11WRCCR 11" LED Flush Mount Color Tuneable [1520154]













#### **NEW PRODUCTS!**





# 


NEW!! Cooper Lighting Solutions SMD12R209SWHE 12" Round Surface Mount Fixture 2000 Lumen 120v/277v CCT Selectable 0-10V dimming [1605823]

#### HLB8



# 

NEW!! Cooper Lighting Solutions HLB8169FS1EMWR 8"
Round Wafer LED Trim 120v CCT Selectable 1600 Lumens,
Phase Cut Dimming [1605824]



# 

NEW!! Cooper Lighting Solutions HLB8LS9FSE010MWR 8"
Round Wafer LED Trim 120/277v CCT Selectable Lumen
Selectable (1400-1900-2400) 0-10V dimming [1605825]



# 

NEW!! Cooper Lighting Solutions FM11WRCCR 11" ROUND LED Flush Mount Color Tuneable [1520154]

NEW!! Cooper Lighting Solutions FM15WRCCR 15" ROUND LED Flush Mount Color Tuneable [1520155]

#### Metalux

#### FM WR CCT SELECT

LED Low Profile Round Flushmount Wall or Ceiling Mount

#### **Typical Applications**

Bedroom • Closet • Corridor • Stairway • Utility Rooms • Laundry Rooms • Dormitories

- 3 Color Field selectable CCT: 3000K, 4000K and 5000K
- Perfect for utility or laundry rooms, closets, dormitories & more
- ENERGY STAR® rated
- Easy to install. Surface or direct mount to junction box
- 5-year warranty and long life LEDs





Cooper Lighting Solutions XTOR3B 26w LED WALL PACK 5000K 120/277V [1181900]



Cooper Lighting Solutions XTOR4B 38W LED WALL PACK 5000K 120/277V [1175561]



Cooper Lighting Solutions XTOR6B 58W LED WALL PACK 5000K 120/277V [1180986]



Cooper Lighting Solutions XTOR8B 81W LED WALL PACK 5000K 120/277V [1168712]

# **SMARTBUYS**

Pricing valid January 1 - February 28, 2021



- Patented, slim, low-profile LED design
- Wall, surface, post, bollard, low-level, inverted, floodlight mounting
- Die-cast aluminum, hinged, removable door and back box
- 18W, 26W, 38W, 58W, 81W models
- Secure lock-hinge and single-point closure
- Mounts to a variety of junction boxes or conduit entries
- Silicone-sealed optical LED lens, Available in 5000K or 4000K (CCT)
- 120V, 120-277V and 347V models available
- Optional floodlighting kit converts from wall to floodlight



Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.



# 

Cooper Lighting Solutions LT460WH6930R 4" LED **Recessed Baffle Trim 3000K 120V** [1516690]

# 

Recessed Baffle Trim 3000K 120V [1510796]





Cooper Lighting Solutions RA6069S1EWHDMR 6" Adjustable **Gimbal Direct Mount LED Trim CCT Selectable** [1575216]



Cooper Lighting Solutions RA4069S1EWHDMR 4" Adjustable **Gimbal Direct Mount LED Trim CCT Selectable** [1575217]





Cooper Lighting Solutions HLC9129401EWH 9" Closet Light LED 4000K [1587797]



**Cooper Lighting Solutions HLCMS9129401EWH** 9" Closet Light LED 4000K w/ Motion Sensor [1587798]



Pricing valid January 1 - February 28, 2021





# Sales Note Arc flash relays





Eaton's Bussmann™ series arc flash relay (EAFR) provides unmatched switchgear protection. This relay reduces arc flash energy by quickly clearing the current feeding the arc. The sensitive light inputs with current permissive detection identify multiple arc fault conditions.

The EAFR works to detect and clear faults faster than traditional methods in medium and low voltage switchgear, and the arc flash relay modules and sensors allow for simple integration into electrical assemblies.

Flexible module options allow installers to choose between fiber optic loop cable and wired point sensors

The system can measure both light and current to eliminate nuisance operation, and offers an innovative modular design that allows for simple integration into electrical assemblies, ideal for both new and retrofit installations. The system also helps address arc flash safety concerns outlined in National Fire Protection Agency (NFPA) standard 70E, which covers employee workplace electrical safety requirements.

Bussmann series arc flash relays are now sellable through the Bussmann division.

#### **Applications/installations**

- · Low voltage switchgear/switchboards
- · Medium voltage switchgear
- · Low/medium voltage motor control centers

#### **Markets**

- · Oil and gas
- Industrial
- · Commercial or institutional infrastructure
- · Electric utilities

#### **Typical customers**

#### OEMs for:

· Low voltage and medium voltage assemblies

#### **Target regions and countries**

United States

zon ronago ana moanam ronago accomence		
Key features and benefits		
Feature	Benefit	
An innovative module system allows for simple integration into electrical assemblies.	Ease of installation	
Sensitive light inputs with current permissive detects low power phase to ground arc faults.	Arc flash reduction	
The relay's configurable setup provides optional system selectivity, opening the circuit breaker closest to the arc flash.	Minimizes downtime	
Flexible module options allow installers to choose between fiber optic loop cable or wired point sensors.	Ease of installation	
If the point sensor option is selected, the relay can be wired and tested, reducing time and labor costs.	Modular design for easier assembly integration	
Customer reaction		
Reaction	Reply	
I am looking for arc fault reduction in an existing installation. Is this system solely for new assembly builds?	The EAFR system is a combination of arc flash relay modules and sensors designed to detect arc flash events. With it's modular design, our system makes an excellent candidate for both new and retrofit installations.	
I want to avoid nuisance tripping.	The EAFR system can measure both light and current to eliminate nuisance operation.	
Cybersecurity is a main concern.	Because of the simplicity of the system, all monitoring is done through contact outputs on the modules. The advantage of this approach is that cybersecurity issues are	



nonexistent.



#### ULTRA LED™ High Lumen Lamps

#### Application

ULTRA LED HID replacement lamps are ideal for indoor high/low bay lighting and outdoor decorative post top fixtures in walkway lighting applications.

#### **Benefits and Features**

- Lasts up to 5 times longer than HID lamps
- No warm-up time, instant on with full light output and stable color
- Consumes up to 76% less energy than equivalent HID lamps while delivering same light output
- Rated for open and enclosed fixtures
- Replacement for 70W-400W HID medium/mogul base applications
- Up to 145 LPW
- 3000K, 4000K and 5000K color temperatures
- CRI 80+
- 360° beam angle (or omnidirectional) with Type V distribution

#### Electrical

- 120-277VAC
- Power Factor 98%
- 6kV surge protection

#### Rated Life

- 50,000 hours (L70)

NEW!! Sylvania LED18HIDR840 LED HID Replacement, 18 Watt, 2600 Lumen, 4000K, 120-277V [1554974]

**\$26.95 ea.** 1536089

NEW!! Sylvania LED27HIDR840-4/CS-1/SKU LED HID Replacement, 27 Watt, 3900 Lumen, 4000K, 120-277V [1536089]

NEW!! Sylvania LED54HIDR840 LED HID Replacement, 54 Watt, 7800 Lumen, 4000K, 120-277V [1548260]

# **SMARTBUYS**

Pricing valid January 1 - February 28, 2021





#### Wattage Comparison

Traditional Source	Traditional System Wattage	LED System Wattage	Energy Savings	Energy Savings Over Lamp Life
HID Metal Halide	70W	18W	74%	\$286
HID Metal Halide	100W	27W	73%	\$402
HID Metal Halide	150W	36W	76%	\$627
HID Metal Halide	150W	45W	70%	\$577
HID Metal Halide	175W	54W	69%	\$666
HID Metal Halide	250W	80W	68%	\$935
HID Metal Halide	320W	100W	69%	\$1,210
HID Metal Halide	400W	120W	70%	\$1,540

<sup>\*</sup>Energy savings over the of tamp-calculated at \$0,11/kWh

**\$73.50 ea** 



NEW!! Sylvania LED80HIDR840-4/CS-1/SKU LED HID Replacement, 80 Watt, 11600 Lumen, 4000K, 120-277V [1548261]

NEW!! Sylvania LED100HIDR840 LED HID Replacement, 100 Watt, 14500 Lumen, 4000K, 120-277V [1568722]

NEW PRODUCTS!



#### **Meter Main Pedestals**

U6220, U6221 & U6226 Series U6434, U6435 & U6436 Series



U6221 installation in Gambills, Maryland.

11"

80"





#### **Potential Applications**

Mobile home park needs power distribution with more receptacles.

Ideal for mobile homes or RV parks that have a need for more branch circuits. The U6221 has a slender footprint and offers a defined wireway for the utility line side wire, separate from the end user side. These loads are each metered individually by the local utility.



DOT needs compact power distribution.

A Department of Transportation (DOT) was looking for a solution to distribute power to their traffic lights and signals. Milbank and a local rep worked with the DOT and a local utility to provide a more compact solution.



Small commercial business needs freestanding single-tenant power distribution.

Milbank offers several types of meters and meter mains for **commercial businesses**. The U6221 is ideal for a small, freestanding business that may need to **distribute power** to external lighting or signs.



See your Capital Electric Sales Representative for more information.

## **NEW PRODUCTS!**



















\$33.95 ea.

NEW!! RAB G2R5930120W
2INCH LED GIMBAL DIRECT
MOUNT DOWNLIGHT 3000K
120V [1531750]

NEW!! RAB R4R89FA120WS 4 INCH COLOR SELECT LED RECESS RETROFIT SMOOTH TRIM [1600111]



Pricing valid January 1 - February 28, 2021





NEW!! RAB R6R89FA120WS 6 INCH COLOR SELECT LED RECESS RETROFIT SMOOTH TRIM [1550435]

#### LIGHTOLIER

by (s) ignify

#### **Downlighting**

Flat Downlight Select

4" and 6" round



# Powerful all-in-one Flat Downlight Select - Impress your toughest customer with CCT select on the fly

Powerful all-in-one Lightolier LED Flat Downlight Select - Impress your toughest customer with CCT select on the fly and contractor friendly installation connectors. Designed to significantly reduce your installation challenges on site. Get more done in less time!



Lightolier by Signify FD4R4CCT 4" LED Flat Direct Mount Downlight, Color Selectable [1588178]



Lightolier by Signify FD6R4CCT 6" LED Flat Direct Mount Downlight, Color Selectable [1588182]





# 

#### Lutron DVCL-153P-WH-2 DIVA 2-PACK PROMO WHITE LED DIMMER [1589368]

The Diva LED+ dimmer provides optimal dimming performance of LED bulbs This dimmer works with up to 150 Watts of dimmable LED/CFL or 600 Watts of incandescent/halogen, allowing you to control multiple bulbs types on the same circuit. It is designed to control a broad range of dimmable LED and CFL bulbsfrom a variety of brands including Philips, Cree, GE, Eco Smart and Lighting Science. The Diva dimmer features a paddle switch to turn your lights off or on---returning the lights to your favorite level. This dimmer also features a discreet slide control next to the switch, allowing you to adjust the lights for any activity. Package includes (2) Diva paddle style dimmers and (2) coordinating Claro wall plates.



# Most Connected Smart Lighting Control

Caséta works with more smart home devices than any other smart lighting control brand.









# **Lutron P-BDG-PKG1P CASETA SMART LAMP TIMER KIT WITH BRIDGE** [1590991]

Caseta by Lutron Starter Kit with Smart Bridge, Plug-in Lamp Dimmers (1), Claro Wallplates (1), Pico Remotes (1), Individual Tabletop Pedestals (1); 100 W CFL & LED, 300 W Inc/Hal, 120V



## **Lutron P-BDG-PKG1W CASETA SMART DIMMER KIT WITH BRIDGE** [1056335]

Caseta by Lutron Starter Kit with Smart Bridge, In-wall Dimmer (1), Claro Wallplate (1), Pico Remote (1); 150 W CFL & LED, 600 W Inc/Hal, 120V



# Discover the power of smart lighting



See your Capital Electric Sales Representative for more information.

#### Smart Switch Starter Kit

#### **Homeowner benefits**

- · Always come back to a well-lit home
- Easily check which lights are on or off, using the Lutron App
- Add even more convenience by integrating with Siri, Alexa, or the Google Assistant
- Have outdoor lights scheduled to automatically turn on at dusk and off at sunrise

Take advantage of the geofencing feature to turn lights when you come home Ideal for outdoor lighting

Caseta Wirdess

#### Hassle-free scheduling

- · Schedule outdoor light changes by sunrise/sunset or time of day
- · No need to come back and adjust the schedule for daylight saving time

#### Features to sell around

- · Once you add the Smart Bridge, it's easy to add additional devices to the system
- · Can integrate with the homeowner's favorite voice assistant
- · The Smart Bridge doesn't depend on the home's Wi-Fi (if the Wi-Fi goes down, Caséta still works)

#### **Potential add-ons**

- · Additional switches or dimmers throughout the home
- · Pico remotes for additional points of control

You could also set up Smart Away, geofencing, and other app features, for added value for the homeowner



## Dimmer Kit with Smart Bridge

#### **Homeowner benefits**

- · Create the right light for any occasion
- Easily check which lights are on or off, using the Lutron App
- Add even more convenience by integrating with Siri, Alexa, or the Google Assistant



- · Easily add on to projects when you're adding retrofit light kits
- · Simply plug the Smart Bridge into the router, download the Lutron App, and follow the instructions
- No neutral required —ideal for older homes

#### Features to sell around

- · Once you add the Smart Bridge, it's easy to add additional devices to the system
- · Can integrate with the homeowner's favorite voice assistant
- The Smart Bridge doesn't depend on the home's Wi-Fi (if the Wi-Fi goes down, Caséta still works)
- · Dim or brighten lights to create the perfect atmosphere for any activity

#### Potential add-ons

- · Additional switches or dimmers throughout the home
- · Pico remotes for additional points of control



Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

# nVent ERICO Cadweld Plus Impulse Exothermic Welding Control Unit



#### CONNECT AND PROTECT

Our latest innovation, the **nVent ERICO Cadweld Plus Impulse Exothermic Welding Control Unit**, brings you the highest level of flexibility and ease of use of any of our ignition systems. Precision engineered, the control unit lets you choose your power source: from off-the-shelf AA-batteries to the rechargeable Lithium-Ion packs you have on your job site.

Why should you choose our latest ignition system? Safety, power and ease-of-use.

#### **SAFETY**

- Self-closing trigger guard prevents accidental ignition, providing added safety
- LED ignition counter provides instant feedback on the timing of the ignition and is visibile in sunny outdoor conditions
- Five second delay in ignition is a safety feature to allow the user to stop ignition, if necessary

#### **POWER**

- Battery life indicator integrated into the unit for real-time updates on battery life; compatible with both AA and rechargeable batteries
- Includes AA alkaline batteries to power approximately 600 connections
- Rechargeable batteries from Milwaukee® or DEWALT® can be used to power approximately 1500 connections using a 4Ah battery
- Battery adapters available for use with either Milwaukee® or DEWALT® rechargeable batteries (sold separately)

#### **EASE-OF-USE**

- High temperature lead with single molded insert into the control unit keeps the most-often replaced component of ignition systems more securely attached and reliable
- Easy-to-use alligator clip design of the termination clearly shows a positive connection in the viewing window
- Enhanced power tool style grip is ergonomic and easy to hold



Part Number	Cable Length	Batteries	Working Temperature
PLUSCU2L6	6'	8 Standard AA Batteries	0 – 130 °F
PLUSCU2L15	15'	8 Standard AA Batteries	0 – 130 °F


#### WHAT'S INCLUDED



The control unit is part of the nVent ERICO Cadweld family, which includes:

- 1. Standard and custom exothermic mold configurations
- 2. Welding material
- 3. Tools and accessories





See your Capital Electric Sales Representative for more information.



Our powerful portfolio of brands:

**ERICO HOFFMAN** RAYCHEM SCHROFF **TRACER** 

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice. 29

# nVent CADDY Heavy Duty Telescoping Bracket



#### CONNECT AND PROTECT

For ultimate stud-wall flexibility and snap-in time savings, choose the nVent CADDY Heavy Duty Telescoping Bracket and Box Mounting Plate. We created this product grouping after listening to the electrical contractor community, designing a solution that makes the job easier, repeatable and reliable. The result is a system based on a telescoping bracket that adapts to study spaced 16" to 24", and a snap-in box mount with ultimate flexibility.

Made to work with data and electrical applications, choose the telescoping bracket and box mounting products for your next job; and provide your team the flexibility they need – with the confidence that it is installed right the first time.

#### **HEAVY DUTY TELESCOPING BRACKET**





[1573014]




- Maximize speed and job efficiency with snap-on box mounting plates (sold separately)
- Install box mounting plates with a just a snap; securely at any position in the telescoping bracket
- · Rigid design eliminates the need for far-side support
- Repeatable, time-saving design is ready to use right from the box
- Compatible with wood or metal studs, spaced from 16" to 24"

Part Number	Material	Finish	Stud Spacing Adjustability	Box Size	Standard Packaging Quantity
TB1624HD	Steel	Pregalvanized	14 1/2" – 25"	4" 4 11/16" 5"	25 pc

#### **BOX MOUNTING PLATE**







- Works with our Heavy Duty Telescoping Bracket just snap it in
- Flexible installation options also allow mounting direct to metal or wood studs
- Multiple key hole configurations for ease of installation and visual location confirmation
- Adapt with confidence to any situation; with low voltage extruded holes and the ability to remove and reinstall screws multiple times without compromise
- Works with vertically or horizontally-mounted single and double gang adjustable mud rings
- Ready for prefabrication and job-site adjustments with a specially-designed tab that holds strong without locking in place

Part Number	Material	Finish	Box Size	Standard Packaging Quantity
TB45P	Steel	Pregalvanized	4" 4 11/16" 5"	25 pc

# nVent CADDY Glider Electrical Box Attachment, Screwless









#### **FEATURES**

- Secures electrical boxes to the TSGB without tools or screws
- Innovative design securely clips onto electrical box eliminating attachment screw
- Electrical boxes can be easily positioned along TSGB
- Allows closer installation of multiple boxes between or against the studs
- · Allows for easy repositioning of electrical boxes
- · Ideal for pre-fab assemblies
- · Allows for fast and easy opening and closing





Part Number	Material	Finish	Standard Packaging Quantity
TSGLDR2	Spring Steel	nVent CADDY Armour	100 pc



Our powerful portfolio of brands:

CADDY ERICO HOFFMAN RAYCHEM SCHROFF TRACER

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

## **NEW PRODUCTS!**

Elevate your design vision with just the flip of a switch with our Intrinsic Surface Mount LED Collection. The simple, classic design of these light fixtures can easily be installed into a variety of style applications in both residential and commercial settings. We offer two different sizes of surface mounts, both coated in a crisp white finish, to meet your unique design needs. Each smooth trim ring surrounds an integrated LED light fixture ready to emit general ambient lighting wherever it calls home in your design plan.

#### **Specifications:**

- · Diffused polycarbonate lens
- Integrated AC LED technology 3000K, 90 CRI, 1000 lumens (delivered)
- Diffused polycarbonate lens controls direct glare from the LEDs
- · Lumen output and distribution comparable to a 75W incandescent lamp
- Dimmable to 10% brightness with many Electronic Low Voltage (ELV) & Forward Phase (TRIAC) dimmers
- · CSA Listed for Wet Location applications
- ENERGY STAR listed
- · Meets California Title 24 JA8 2019
- Fixture installs to 4" Octagon metallic junction boxes, 4" Round non-metallic junction boxes and 4"  $\times$  1/2" round ceiling pan junction box.
- · Maximum 26 luminaires on a circuit (without dimmer).
- 50,000 hour rated lifetime
- · Dimmable to 10% brightness (See Dimming Notes)
- · Mounting strap for outlet box included
- 6 in of wire supplied

#### **Performance:**

Number of Modules	1
Input Power	15.5 W
Input Voltage	120 V
Input Frequency	60 Hz
Lumens/LPW (Delivered)	1,000/64 (LM-79)
ССТ	3000 K
CRI	90 CRI
Life (hours)	50000 (L70/TM-21)
EMI/RFI	FCC Title 47, Part 15, Class B
Min. Start Temp	-30 °C
Max. Operating Temp	30 °C
Warranty	5 year warranty
Labels	cCSAus Wet Location Listed
	ENERGY STAR® qualified
	Meets California Title 24 JA8-2019












Pricing valid January 1 - February 28, 2021





# Visit your local Capital Electric Branch Location.



Purchase a Square D panel or disconnect product.



Get a FREE Square D/
Capital Electric BEANIE!





by Schneider Electric

# Promotional Period Runs January 1-February 28, 2021!

Limit one per customer. HURRY, While Supplies Last!

#### capitalelectricsupply.com

Terms and Conditions: This is not a game of chance. Void where prohibited. Offer valid on purchases made from January 1 - February 28, 2021. While supplies last. Capital Electric reserves the right to limit purchase quantities or cancel promotion at any time at its sole discretion without prior notice. All federal, state, and local laws and regulations apply. Redemption items will be provided according to the rules outlined in the promotion. Offer valid only for product end users. No cash value. Offer not valid with any other offer or promotion. Capital Electric reserves the right to substitute items based on manufacturability at our sole discretion. Each invoice may only be submitted once. Employees of Capital Electric, its suppliers, and their immediate families and household members are not eligible to participate. Immediate families include spouses, parents and step parents, siblings and step siblings, and children and step children. Any tax obligations relating to the prizes are the sole responsibility of the prize winner. Offer subject to change without notice. In the event of dispute, the decision of Capital Electric is final.



Due to its overwhelming success, Square D by Schneider Electric now offers all QO single-phase, convertible main Load Centers, 12 spaces and greater with the industry's leading PoN architecture.

Designed for reliability, the QO™ Plug-on Neutral CAFI Circuit Breakers connect directly to the neutral bar, providing a time and labor-saving installation.

Accessories and covers listed for use with standard QO Load Centers are listed for use with QO PoN Load Centers as well.

QO PoN Load Centers are now listed for use QO Tandem Circuit Breakers (QO T non-CTL) which increase the number of circuits a Load Center can facilitate QO PoN Load Centers are also fully compatible with "pig-tail" circuit breakers.

#### PoN benefits have proven to bring:

- Fewer connections: Saves time & Reduces mistakes that lead to call backs
- Reduced wire in the gutter: Easier to work, more professional appearance
- Elimination of pigtail wiring mistakes by providing a reliable neutral connection
- All these attributes contribute to a lower total installed cost





Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.



- QO GFI circuit breakers feature Visi-Trip<sup>™</sup> for visual trip indication.
- Complies with UL 943 standard for GFCI protection.



	Qwik-Gard 2P common trip GFI circuit breakers				
Ampere Rating	QO Plug-on - 120/240 Vac	QOB Bolt-on - 120/240 Vac	Homeline Plug-on - 120/240 Vac		
	10 k AIR - 2 spaces required	10 k AIR - 2 spaces required	10 k AIR - 2 spaces required		
15	QO215GFI	QOB215GFI	HOM215GFI		
20	QO220GFI	QOB220GFI	HOM220GFI		
25	QO225GFI	QOB225GFI	HOM225GFI		
30	QO230GFI	QOB230GFI	HOM230GFI		
35	QO235GFI <sup>†</sup>	QOB235GFI <sup>†</sup>	HOM235GFI <sup>†</sup>		
40	QO240GFI	QOB240GFI	HOM240GFI		
45	QO245GFI <sup>†</sup>	QOB245GFI <sup>†</sup>	HOM245GFI <sup>†</sup>		
50	QO250GFI	QOB250GFI	HOM250GFI		
60	QO260GFI	QOB260GFI	_		
60 A	QO260GFI3W	-	-		

<sup>†</sup>New Additions: For 2P 60A 3W GFI order QO260GFI3W



### by Schneider Electric

Square D<sup>TM</sup> Residential Enclosed Circuit Breakers are designed to be code compliant, easy to install, customizable and highly reliable. These rainproof Residential Enclosed Circuit Breakers are suitable for use only as service equipment since they feature a UL67 service entrance barrier, factory applied Emergency Disconnect and Service Entrance labels, and the ability to select between factory installed molded circuit breakers (150 200A @ 25k AIR) or field installable molded circuit breakers (70 200A @ up to 100k AIR).

#### **Service Entrance Devices**

Table 1.91: Residential Enclosed Circuit Breakers with PowerPact Q Frame MCBs

Enclosure	Mains Rating	Short Circuit Rating	Commercial Reference	Included in Package
Rainproof NEMA 3R	150A	25kA	Q2150MRBE	Factory Installed: (1) QDL22150, (1) Service entrance barrier, (1) emergency disconnect label & (1) service disconnect label
Rainproof NEMA 3R	200A	25kA	Q2200MRBE	Factory Installed: (1) QDL22200, (1) service entrance barrier, (1) emergency disconnect label & (1) service disconnect label



**Square D Q2150MRBE Service Entrance Residential Enclosure MB 150A** [1617629]



**Square D Q2200MRBE Service Entrance Residential Enclosure MB 200A** [1617259]



Pricing valid January 1 - February 28, 2021




See your Capital Electric Sales Representative for more information.

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.



#### Legrand Cablofil Cable Trays

The Cablofil Wiremesh Cable Tray concept is based upon performance, safety and economy; three qualities which make Cablofil Wiremesh Cable Tray system preferred by installers. Cablofil adapts to the most complex configurations, and its structure gives maximum strength for minimum weight. The ease of creating fittings, carried out on site, as well as the wide range of unique and universal accessories gives complete freedom in routing combined with exceptionally fast installation.



Cablofil Legrand CF54/150EZ
Cable Tray [322154]

96225

Cablofil Legrand
CF54/200EZ
Cable Tray [96225]

96583

Cablofil Legrand
CF54/300EZ
Cable Tray [96583]



99642

Cablofil Legrand
EZT90EZ

90° Bend and T Kit
[99642]



Cablofil Legrand CF105/300EZ
Cable Tray [94440]

Cablofil Legrand CF105/450EZ Cable Tray [95190]



Pricing valid January 1 - February 28, 2021



### **NEW PRODUCTS!**

### 3M<sup>™</sup> Temflex<sup>™</sup> 165

**General Use Vinyl Electrical Tape** 





**Light to Medium Duty** 



Wire Identification



**Harnessing & Bundling** 



**Good Stretch & Adhesion** 

When you need a dependable generalpurpose vinyl electrical tape, use 3M™ Temflex<sup>™</sup> Tape 165. This affordable solution offers reliable performance for protective jacketing, harnessing, marking and insulating low voltage cables in non-critical applications.

#### **Product Highlights:**

- · Good stretch and flexibility and better general use bundling, insulating and sealing
- · Suitable for moderate indoor & weather protected outdoor uses between 32°F to 194°F (0°C and 90°C)
- · Ideal for general use insulation, color coding for phase identification, wire marking and safety
- · Electrical insulation for wire and cable splices rated up to 600 volts
- · CSA and VDE Certified, UL 510 Listed, IEC 60454-3-1-5/F-PVCP/90 and RoHS 2015/863/EU Compliant
- · Available Colors:









**Protective Jacketing** 

Low Voltage Insulation

**Moderate Conditions**  Variety of Colors

**Flame** Retardant

Indoor & **Protected** Outdoor

Product Number	Roll Size	UPC	Color	Case Qty.	MOQ
165BK4A	3/4 IN x 60 FT	76308925680	Black	100	100
165BL4A	3/4 IN x 60 FT	76308925697	Blue	100	10
165BR4A	3/4 IN x 60 FT	76308925703	Brown	100	10
165GR4A	3/4 IN x 60 FT	76308925710	Green	100	10
165GY4A	3/4 IN x 60 FT	76308925727	Grey	100	10
165OR4A	3/4 IN x 60 FT	76308925734	Orange	100	10
165PR4A	3/4 IN x 60 FT	76308925741	Purple	100	10
165RD4A	3/4 IN x 60 FT	76308925758	Red	100	10
165WH4A	3/4 IN x 60 FT	76308925765	White	100	10
165YL4A	3/4 IN x 60 FT	76308925772	Yellow	100	10



#### Important Notice

Before using this product, you must evaluate it and determine if it is suitable for your intended application. You assume all risks and liability associated with such use.

Warranty; Limited Remedy; Limited Liability.

3M's product warranty is stated in its Product Literature available upon request. 3M MAKES NO OTHER WARRANTIES INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. If this product is defective within the warranty period stated above, your exclusive remedy shall be, at 3M's option, to replace or repair the 3M product or refund the purchase price of the 3M product. Except where prohibited by law, 3M will not be liable for any direct, indirect, special, incidental or consequential loss or damage arising from this 3M product, regardless of the legal theory asserted.

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.



# \$9.95 ea.

3M FB-FOAM-ORANGE Fire Block

Foam [630233]

- Tested as a Type V residential Fireblock to ASTM E 84 (modified)
- Durable foam is heat-resistant (up to 240°F/115°C)
- Acts as a draftstop to help reduce air infiltration
- Thermal insulator foam offers an R-Value of 4-5/inch (25.4 mm) typical
- Fireblock foam is ready-to-use (no mixing required)
- Tack-free in approximately 5 minutes



# **\$4.75 ea.**

3M FB-136 10.1FL OZ Fire Block Sealant Cartridge 12/CASE [55592]

- Tested as a Type V residential Fireblock to ASTM E 84 (modified)
- Durable caulk is heat-resistant (up to 2000°F/1093°C)
- Acts as a draftstop to help reduce air infiltration
- Thermal insulator offers an R-Value of 4-5/inch (25.4 mm) typical
- FB-136 is ready-to-use (no mixing required)
- Tack-free in approximately 15 minutes



# \$11.50 ea. 3M CP-25WBPLUS 10.1 OZ Fire Caulk [33476]

- Firestop tested for through penetration applications up to 4 hours in accordance with ASTM E814 (UL 1479) and CAN/ ULC-S115
- Sag-resistant properties offer clean application as well as strong adhesion in both wall and floor applications
- Water-based and paintable sealant provides easy application and clean-up
- Sealant is re-enterable and repairable
- Fire resistance tested for static construction joint systems in accordance with ASTM E 1966 (UL 2079)
- Sealant helps minimize sound transfer



**\$14.25 ea.** 

3M CP-25WBPLUS-20 OZ Fire BRR Caulk Sausage Pack [5472]



# **SMARTBUYS**

Pricing valid January 1 - February 28, 2021






# **\$12.75 ea.**

**3M 1000-N/S-10.1 OZ Silicon Seal Cartridge** [489824]

- Firestop tested up to 3 hours in accordance with ASTM E814 (UL 1479) and CAN/ULC-S115
- Fire resistance tested for construction joint (including curtain wall) systems in accordance with ASTM E 1966 (UL 2079), ASTM E 2307
- Excellent caulk rate and sealant can be applied with conventional caulking equipment
- Non-slump, halogen-free formula provides strong adhesion





3M MPP+4X8 Moldable Putty Pad [55681]

- Pliable one-part intumescent firestop material is designed for wall openings and through penetrations
- Provides draft and cold smoke seal, helps reduce noise transfer
- Firestop tested for through penetration and membrane applications for up to 4 hours in accordance with ASTM E 814 (UL 1479)
- Excellent adhesion to a wide range of construction materials



3M Comfort Grip Winter Gloves have the comfort and dexterity of the General Use Gloves but with added warmth for cold weather applications. They are nitrile foam coated for better grip, are washable, and feature a knit wrist cuff style.



\$6.75 ea.
3M CGM-W Winter Comfort Grip

Gloves - Medium [1082343]



\$6.75 ea.

3M CGL-W Winter Comfort Grip Gloves

**- Large** [1059177]



\$6.75 ea.

3M CGXL-W Winter Comfort Grip Gloves - X-Large [1060208]

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.



## Introducing new commercial grade strut

Eaton's B-Line Business offers the strength of a 12 gauge strut in a lighter weight design. C22 is available in solid and SH hole patterns and is available in 2 lengths (10 foot and 20 foot). The Commercial Grade Strut offering is compatible with B-Line's diverse offering in strut fittings. C22 is offered in a G90 pre-galvanized finish.

Span (in)		B-Line	Gregory®† G-Strut®†	Haydon®†	T & B®† Superstrut®†	Unistrut®†
	Part Number	C22	G-582	H-132	A-1200	P1000
24	Uniform Load* (lbs)	1813	1610	1740	1766	1690
	Deflection* (in)	0.058	0.050	0.06	0.058	0.060

Span (in)	Uniform Load (Lbs.)	Deflection (In.)	Material Number	Part Number	Description	
12	2780	0.011	12369054	C22-120GLV	Solid, 10' length	
24	1813	0.058	12369056	C22-240GLV	Solid, 20' length	
36	1209	0.131			Slotted (9/16" x 1-1/8" on	
48	921	0.237	12369057	C22SH-120GLV	2" centers), 10' length	
60	737	0.370			Slotted (9/16" x 1-1/8" on	
72	614	0.533	12369058	C22SH-240GLV	2" centers), 20' length	
84	526	0.725			, , , , , , , , , , , , , , , , , , ,	
96	453	0.931	Dime	ensions: 15%" x 15%	nsions: 15%" x 15%"	
108	403	1.180	Dillic	10101010. 170 / 170		

<sup>&</sup>lt;sup>†</sup>All marks shown are properties of their respective owners. Information contained in the above chart for competitive comparison was obtained through the respective websites of the companies listed.

#### Features:

- Strength to Weight Ratio is higher than
   12 gauge 1%" x 1%" Strut
- Load ratings are 5% or greater than 12 gauge 1%" x 1%" Strut
- Commercially available
- Available in G90 pre-galvanized finish
- Available in solid and SH hole patterns
- Available in two lengths: 10 foot and 20 foot
- Resistance to slip meets or exceeds 12 gauge listings for ¾"-16 hardware (¾" channel nut thickness)
- Pull-out meets or exceeds 12 gauge listing for / "-13 hardware (%" channel nut thickness)
- Additional engineering test data available upon request
- Available with B-Line Standard Terms and Conditions





1.454

120

<sup>\*</sup>B-Line has made every effort to ensure the integrity of the contents of this document. However, B-Line cannot accept responsibility for errors, that may have been caused by changing dimensions/part numbers, or for typographical or clerical errors in the preparation of this document. The data and dimensions are provided are for reference only. B-Line does not assume responsibility for the selection, use, or maintenance of any product. Responsibility for the proper selection, use, and maintenance of any B-Line product remains solely with the purchaser and end-user. Information is subject to change without notification.

### **Protector® Series**



### PROTECTOR® SERIES

**Standby Generators Liquid-Cooled Gaseous Engine** 

#### **INCLUDES:**

- Two-Line LCD Multilingual Digital Evolution™ Controller (English/Spanish/French/Portuguese) with external viewing window for easy indication of generator status and breaker position.
- Capability to be installed with 18" (457mm) of a building\*
- True Power<sup>™</sup> Electrical Technology
- Isochronous Electronic Governor
- Sound Attenuated Enclosure
- Closed Coolant Recovery System
- Smart Battery Charger
- UV/Ozone Resistant Hoses
- ±1% Voltage Regulation
- Natural Gas or LP Operation
- 5 Year Limited Warranty
- UL 2200 Listed

Note: 25-45 kW units are field convertible between natural gas or liquid propane. 60 kW units are built per fuel requirement and are not convertible.

Model RG025 (Aluminum - Bisque) - 25 kW 60 Hz

Standby Power Rating

Model RG030 (Aluminum - Bisque) - 30 kW 60 Hz Model RG036 (Aluminum - Bisque) - 36 kW 60 Hz Model RG045 (Aluminum - Bisque) - 45 kW 60 Hz

Model RG060 (Aluminum - Bisque) - 60 kW 60 Hz







QUI<del>FT TEST</del>

unless otherwise directed by local codes. Applicable for 25kW and 30kW units only.

Meets EPA Emission Regulations 25, 30 & 45 kW CA/MA emissions compliant 36 & 60 kW not for sale in CA / MA



Generac RG02515ANAX RG SERIES GENERATOR 25KW **120/240V 1PHASE NG** [1071153]



**Generac RG03015ANAX RG SERIES GENERATOR 30KW** 120/240V 1PHASE NG [1036446]



**Generac RG03624ANAX RG SERIES GENERATOR 36KW** 120/240V 1PHASE NG [1035548]



Generac RG04524ANAX RG SERIES GENERATOR 45KW **120/240V 1PHASE NG** [1079259]



**Generac RG06024ANAX RG SERIES GENERATOR 60KW** 120/240V 1PHASE NG [1019916]

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

\*Only if located away from doors,

windows, and fresh air intakes, and





### PRODUCT LAUNCH

# Plugload Controllable Receptacles

Half & Dual Controllable Decorator Receptacles

PASS & SEYMOUR

### Product Features & Benefits

.032 inch thick, brass, triple-wipe power contacts for lasting retention.

Two drive screws anchor strap to back body and face where abrupt removal torque is strongest.

Can be used to control loads using WattStopper® DLM and other building control systems.

Also available: Half-controlled version, that features a factory-broken split-circuit tab, allowing for half of the receptacle to be controlled.



26352CD-GRY

Auto-ground clip assures positive ground.

Controlled receptacle marking is NEMA-approved and compliant with 2014 NEC®.

Corrosion-resistant, plated steel strap locked into face and back body to resist pulling away from face/body assembly.

Tri-drive steel terminal screws.
Internal screw-pressure-plate back
and side wire capability. Two back
wire holes for more wiring flexibility.



#### PASS & SEYMOUR®

Specification Grade Weather-Resistant USB Charging Receptacles 15 & 20A, Tamper-Resistant



### Spec and install the toughest outdoor USB charging receptacle in the industry

WRTR15USBAC6. WRTR20USBAC6

Install the fastest Weather-Resistant USB charging receptacle on the market. Industry-leading charging capacity of 6.0A, shared between both ports. Charge your smartphones, tablets, and laptops up to 40% faster than 3-5A USB chargers, while enjoying the added safety of tamperresistant receptacles that meet NEC® requirements for outdoor use. These USB receptacles are UL listed to UL498 for weather resistance and comply with section 406.9 of the National Electrical Code. Protects children: patented shutter system helps prevent improper insertion of foreign objects - now with black "invisi-shutters" for an invisible effect. The external brass back wire pressure-plate and posted side-wire terminal screws make installation fast and easy. RoHS compliant.


#### Features & Benefits

Posted terminal screws and external back-wire pressure plates for more productive and

reliable terminations.

AC USB receptacles available in 15 and 20A. 125V Specification Grade and Hospital Grade.

- . Complies with Section 406.9 of the National Electrical Code for weather resistance. Multiple color options available \*
- Efficient power supply meets the Department of Energy (DoE) Level VI no-load power requirement of 100mW max for external power supplies.
- \*Must be installed with a weatherproof cover. It is recommended that these devices are installed in a wall box measuring at least 3" x 2" x 2-1/2" to ensure proper NEC Article 314 box fill requirements. For retrofit applications a Weatherproof extension ring may be required on boxes with less depth than 2-1/2".



WRTR20USBAC6LA

Type-C port or (2) USB Type-C ports to charge the latest mobile devices.

Available with (1) USB Type-A & (1) USB

Reinforced nylon USB Type-A ports to withstand abuse over the life of the product.

Type-A and Type-C ports carry a minimum rating of 10,000 insertions.

AC USB receptacles are tamper-resistant to meet NEC. Patented shutter system now with black "invisi-shutters" for an invisible effect preferred by end-users helps prevent improper insertion of foreign objects.

Stainless steel auto-ground clips assure positive ground.



#### 3rd Party Compliance

cULus Listed, UL Listed US LISTED Complies with test requirements UL 498, UL 1310, Federal Specification WC-596, CSA C22.2 No. 42, CSA C22.2 No. 223

See your Capital Electric Sales Representative for more information.

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

### **COMING SOON!**



## ModPower

WIREMOLD

designed to be better.™





Legrand is excited to bring to market the first product evaluated and listed to the new UL 962A

Supplement SD (Furniture Power Distribution Units for Portable (Moveable) Work Space Tables).

These products are designed to allow for the primary unit to be connected to a wall or floor outlet, via a non-detachable power supply cord. Up to (5) additional units may be connected to the primary unit via interconnecting cords that utilize grounding-type Non-NEMA style connectors.











# \$18.99 **ea**

**21010407-A Smoke Alarm, AC/DC Powered, 10-Year Worry Free** [930748] The Kidde i12010S is an AC/DC powered, ionization smoke alarm that operates on a 120V power source with sealed-in lithium battery backup. This alarm uses ionization sensing technology. Ionization sensing alarms may detect invisible fire particles (associated with flaming fires) sooner than photoelectric alarms. Photoelectric sensing alarms may detect visible particles (associated with smoldering fires) sooner than ionization alarms. Leading authorities recommend that both ionization and photoelectric smoke alarms be installed to help insure maximum detection of the various types

\$32.99 ea.

of fires that can occur within the home.

Kidde 21006377-N KN-COSM-IBA - Hardwired Combination Carbon Monoxide & Smoke Alarm [936341]

The Kidde KN-COSM-IBA uses breakthrough technology to offer a fast response to real fires, including smoldering and fast-flaming, as well as protect you from carbon monoxide and dramatically reduce the chance of nuisance alarms. The Intelligent sensor technology combines the detection capabilities of an ionization smoke sensor — which is more likely to detect smaller, less visible fire particles, like those produced by flaming fires — with that of an electrochemical sensor, which is used to detect CO. Since carbon monoxide is present in all fires, having both detection chambers work together in one alarm is a breakthrough in the fire safety industry. When either sensor notices a potential hazard, it will communicate with the other. Depending on what is detected, the alarm will adjust its smoke sensitivity in order to better discriminate between a real hazard and a false one.

# \$36.99 **ea**.


Kidde KN-COB-IC AC Hardwired Operated Carbon Monoxide Alarm [97104] The Kidde KN-COB-IC is an AC wire-in carbon monoxide alarm that warns you and your family of dangerous carbon monoxide levels. It includes multiple contractor friendly features to ensure easy installation and minimal troubleshooting. This alarm interconnects with up to 24 Kidde devices (of which 18 can be initiation) including smoke alarms, CO alarms and heat alarms on one wiring network. The KN-COB-IC includes a 9V battery backup along with a 10-year limited warranty. 10-Year Life: "If your CO alarm was manufactured prior to 2013, it does not have a 10 year life.



Kidde 21010408-N Worry-Free AC Hardwired Combination Smoke & Carbon Monoxide Alarm Sealed Lithium Battery Backup [936343]

The Kidde i12010SCO is a hardwired combination smoke and carbon monoxide alarm that contains a 10-year, sealed battery backup. This alarm uses breakthrough technology to offer a fast response to real fires, including smoldering and fast-flaming, as well as protect you from carbon monoxide and dramatically reduce the chance of nuisance alarms. The Intelligent sensor technology combines the detection capabilities of an ionization smoke sensor – which is more likely to detect smaller, less visible fire particles, like those produced by flaming fires – with that of an electrochemical sensor, which is used to detect CO. Since carbon monoxide is present in all fires, having both detection chambers work together in one alarm is a breakthrough in the fire safety industry.





Kidde 10-year sealed battery Smoke & CO alarms meet code and save money over the life of the alarm.

Kidde's 10-Year alarms use one battery for the life of each alarm to provide 24/7 protection. Kidde 10-Year alarms are UL Listed, have a 10-Year sealed lithium battery, a 10-year life, and a 10-year warranty.

Make a resolution to protect your home, your family, and your customers with Kidde Fire Safety products. Available at your local Capital Electric branch.





### As temperatures drop, the risk of carbon monoxide related illnesses rise.

Anytime a fuel burning appliance malfunctions or is improperly installed, CO can guickly reach dangerous levels in the home.

#### CARBON MONOXIDE SOURCES











vehicles running in garages

fireplaces

gas powered heaters

gas & oil water heaters

gas cooking appliances

### Carbon Monoxide is the #1 cause of accidental poisoning deaths in the US.


CO is often called the silent killer because it is odorless, colorless, and tasteless. The only safe way to detect the harmful gas is to install a working CO alarm on each level of the home and near sleeping areas.

### Are your customers protected?

#### STOCK UP ON YOUR NEXT TRIP TO CAPITAL ELECTRIC

Worry-Free Hardwired Combo Alarm with 10yr with battery backup | 21010408-N Worry-Free Hardwired Interconnect Smoke Alarm with 10yr battery backup | 21010407-A Hardwired Combo Alarm | 21006377-N AC Hardwired CO Alarm | 21006406

Safety during all seasons starts with Kidde.





Broan NuTone AE50110DCL FLEX DC Series Bathroom Exhaust Fan With LED light and Selectable CFM, 50-80-110 [1458093]



Broan NuTone AE50110DC FLEX DC Series Bathroom Exhaust Fan With Selectable CFM, 50-80-110 [1452047]

Ensure comfort in your bathroom with the Broan Flex DC<sup>TM</sup> Series Bathroom Exhaust Ventilation Van! This Energy Star certified multi-speed fan gives professionals the flexibility to handle new construction or room-side retrofit installations. This ceiling mounted bathroom exhaust ventilation fan has selectable CFM settings at 50, 80, or 110 running at a quiet operation of <0.3-0.4-0.9 sones and is recommended for bathrooms up to 105 sq. ft. The powerful ventilation reduces humidity to quickly eliminate fogged mirrors and manage moisture. The plug-in, permanently lubricated brushless DC motor is engineered for continuous operation. The compact housing is designed to mount directly to inboard joists, making retrofit or new installation applications easy and simple. Snap-fit Flange Kit will cover the edges of the cutout for a more professional finish and a tighter, leak-free seal. With our TrueSeal<sup>TM</sup> damper technology, Flex DC fans reduce air leakage by up to 50% compared to competitive models, resulting in better home performance via blower door tests and reducing cold and warm air back drafts. Retrofit installation is easy and can be done entirely room-side - no need to crawl up into your attic! It can be used over the bathtub or shower with the GFCl circuit. It can also be installed in a wall if mounted 8-ft. or more above the floor. Upgrade your bathroom with the Broan Flex DC<sup>TM</sup> Series Bathroom Exhaust Ventilation Van!





Pricing valid January 1 - February 28, 2021



### ET Basic+ Series

365/24-Hour and 365/7-Day Electronic Controls



Convenient Scheduling, Seamless Integration

Simplify lighting and load schedules, reduce maintenance issues and boost energy efficiency with ET Basic+ Series Electronic Controls. The upgraded controls bring convenience and versatility to a wide range of indoor and outdoor applications and include enhanced features, such as a USB port for schedule backups or transfers. The series includes 24-hour, 7-day or 7-day Astronomic programming options.

## 

Intermatic ET1105C 24-Hour 1 Circuit Electronic Control, 120-277 VAC, 60 HZ, SPST, Indoor Metal Enclosure [261755]

## 

Intermatic ET1125C 24-Hour 2-Circuit Electronic Control, 120-277 VAC, 60 HZ, 2-SPST, Indoor Metal Enclosure, Mexico Sales Only [280464]

## \$190.98ea.

Intermatic ET1705C 7-Day 1-Circuit Electronic Control, 120-277 VAC, 60 HZ, SPST, Indoor Metal Enclosure [281227]

### 

Intermatic ET1725C 7-Day 2-Circuit Electronic Control, 120-277 VAC, 60 HZ, 2-SPST, Indoor Metal Enclosure [309629]



Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

### MC Cable Fittings







Save time and money!
Arlington's new, low
cost MC cable fittings
in a variety of sizes, are
super-convenient and
cost-effective. Each fitting
has a built-in end stop,
but also comes with
additional end stop bushings
that accommodate different size
cable bundles. ONE trade size fits
several cable sizes!

If required, using an end stop bushing is fast and easy. There's no need to remove the strap. Just loosen the screws and insert the bushing that works the best with the cables you're installing in dry locations.

Our zinc diecast MC cable fittings cost much less than steel or malleable iron fittings – and reduce inventory.

- · Built-in end stop in fitting
- UL/CSA Listed

Cable Bundle Diameter-2" Trade Size (8415)

Outer Diameter:	MIN.	MAX.	
of Cable	1.70	2.20	
of Wire Bundle	1.55	2.05	

Examples of 3- and 4-conductor cables usable with 2" Trade Size (8415)

Conductor size/			250-4
# of conductors	300-4	350-3	350-4
(AWG/KCMIL)	500-3		





# **SMARTBUYS**

Pricing valid January 1 - February 28, 2021





Louisville FS1506 6' Fiberglass Step Ladder, Type Ia, 300-Pound Load Capacity [4013]

Louisville FS1508 8' Fiberglass Step Ladder, Type Ia, 300-Pound Load Capacity [18874]

This Louisville 8 foot non-conductive fiberglass step ladder has a load capacity of 300lbs, rated ANSI Type IA. This ladder is equipped with the new and innovative Raptor Top with magnet and multiple tool slots, SHOX impact absorption system, new Raptor boots with non-marring bonded tread mechanically fastened to the upper boot to create a secure slip-resistant footing, inside spreader braces, wide back braces, and double-rivet step construction. The Louisville FS1508 step ladder meets or exceeds the safety standards set by ANSI and OSHA.



920345

**\$130.99 ea.** 

Louisville FXP1704 4' Fiberglass Pinnacle Pro Platform Platform Ladder [920345]

920347

\$169.99 ea.

**Louisville FXP1706 6' Fiberglass Pinnacle Pro Platform Platform Ladder** [920347]

920348

**\$212.99 ea.** 

Louisville FXP1708 8' Fiberglass Pinnacle Pro Platform Platform Ladder [920348]



### \$19.89 ea. 1019321

BRK 9120LBL First Alert Hardwired Ionization Smoke Alarm - 10 Year Lithium Battery Backup with Locked Battery Drawer [1019321]



The BRK Brands, Inc. catalog no. 9120LBL (model 9120B) is a wire-in, 120V AC 60Hz single and/or multiple station smoke alarms specifically

designed for residential and institutional applications including sleeping rooms of hospitals, hotels, motels, dormitories and other multi-family dwellings as defined in standard NFPA 101. The 9120LBL complies with UL217, CSFM, NFPA 72, HUD, FHA and other agencies that model their codes after the above agencies. They meet building codes where AC/DC with Silence smoke alarms are required. The alarms are interconnectable with up to 18 devices, of which 12 can be smoke alarms.



## \$39.49 ea. || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 1019322 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 101932 || 1

BRK SC9120LBL First Alert 120V AC/DC Smoke and CO Alarm - 10 Year Lithium Battery Backup with Locked Battery Drawer [1019322]

120V AC/DC Ionization Smoke/CO Alarm with a 10YR Lithium Battery Back-up. The battery drawer is shipped pre-locked so battery will not be discarded prematurely. Under normal conditions you should not have to replace the battery for the life of the alarm.

Easy Installation/Maintenance - Preferred features include a large opening in the mounting bracket for easy access to wiring. Keyhole slots in the mounting bracket eliminate the need to remove the electrical box screws for installation. A battery pull tab keeps the battery fresh until the home is occupied. Battery installation and removal can occur while the unit is mounted to the ceiling or wall via the side load battery compartment. Two locking features are provided to prevent battery theft and/or theft of the unit. Connection to AC power is made with a "Quick-Connect" wiring harness. Installation is quick, easy and cost effective.



## \$40.99 ea. 1031843

BRK PRC710B Low Profile 10 Year Tamperproof Sealed Lithium Photoelectric Smoke & CO Combo Alarm [1031843]

Low profile design. 10 year tamperproof sealed lithium power cell photoelectric smoke and CO combo alarm with silence feature. Tamper resistant - Locks alarm to mounting bracket to prevent removal of alarm.



BRK CO250B 9V Battery CO Alarm [525714]

9V Battery Electrochemical Carbon Monoxide Alarm with Silence.

# **SMARTBUYS**

Pricing valid January 1 - February 28, 2021





55



# WATERTIGHT WIRING DEVICES













For the Most Demanding Environments.



The Watertight Wiring Devices line can stand up to regular facility wash-downs, survive mud and standing water, and withstand severe weather exposure.

#### **Typical Applications**

- Food Processing
- Water Treatment
- Agriculture
- Outdoor Entertainment
- Amusement Parks
- Factories

HUBBELL® Wiring Systems







#### FLUKE ®



#### **Fluke 67 MAX Clinical Infrared**

#### Thermometer [1603268]

- Clinical infrared thermometer: ± 0.5 °F from 71.6 °F to 109 °F (± 0.3 °C from 22 °C to 43 °C)
- Non-contact thermal scanner device for measurement of human body temperature
- Adjustable alarm visually alerts the user when the temperature exceeds a programmed limit.
- Offers small, lightweight form factor to slip in a coat pocket



#### Fluke 1587FC 2-IN-1 Insulation Multimeter [1063406]

The Fluke 1587 FC Insulation Multimeter features four powerful new diagnostic functions through the Fluke Connect Measurements app:

- Pi/DAR timed ratio tests with TrendIt<sup>TM</sup> graphs identifies moisture and contaminated insulation problems faster
- Memory storage through Fluke Connect eliminates writing down results, reduces errors and saves data for historical tracking over time
- Temperature Compensation through app for establishing accurate baselines and relevant historical comparisons
- Historical tracking and trending of assets identifies degradation over time, allows real-time decisions to be made in the field with Fluke Connect® Assets





### 1490174

#### Fluke 107 ESP CAT III 600V DMM ESP

[1490174]

The Fluke 107 is a compact, easy-to-use digital multimeter made to fit the way you work. It is the perfect first-pass troubleshooting tool: small enough to fit in a shirt pocket or work bag, tough enough to withstand daily use, and extremely simple to use. All without compromising safety. For everyday applications, where True-RMS accuracy isn't needed, the Fluke 107 delivers reliable measurements time after time.



#### Fluke 9040 Phase Sequence Indicator [53829]

The Fluke 9040 is effective for measuring phase rotation in all areas where three phase supplies are used to feed motors, drives and electrical systems. The Fluke 9040 is a rotary field indicator and can provide clear indication of the 3 phase via an LCD display and the phase rotation direction to determine correct connections. It allows rapid determination of phase sequence and has a voltage (up to 700 V) and frequency range suitable for commercial and industrial applications. The included test probes have a variable clamping range for safe contact, also in industrial sockets.

## SMART**BUYS**

Pricing valid January 1 - February 28, 2021



Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.



**DEALS FROM MILWAUKEE** 

These deals valid until 01/31/21. Must use eclipse IDs when purchasing.

### **BUY ONE OF THESE**





**\$149.00 ea.** 

Milwaukee 2520-20-PROMO-KIT M12 FUELTM HACKZALL® Recip Saw (Tool Only) [1606233]





\$139.00 ea.

Milwaukee 2526-20-PROMO-KIT M12 FUEL™ Oscillating Multi-Tool [1606240]





\$149.00 ea.

Milwaukee 2551-20-PROMO-KIT M12 FUELTM SURGETM 1/4" Hex Hydraulic Driver Bare Tool [1606184]





**\$199.00 ea.** 

Milwaukee 2550-20-PROMO-KIT M12™ Rivet Tool (Tool Only) [1606189]

# Get this FREE!



Milwaukee 48-11-2420 M12™ REDLITHIUM™ CP2.0 Battery



**\$169.00 ea**.

Milwaukee 2557-20-PROMO-KIT M12<sup>TM</sup> FUEL<sup>TM</sup> 3/8" Ratchet Bare Tool [1606171]



1606183

**\$179.00 ea.** 

Milwaukee 2556-20-PROMO-KIT M12 FUEL™ 1/4" Ratchet (Tool Only) [1606183]

## **SMARTBUYS**

Pricing valid January 1 - February 28, 2021





**DEALS FROM MILWAUKEE** 

These deals valid until 01/31/21. Must use eclipse IDs when purchasing.

### **BUY THIS**



### Milwaukee 48-11-1862 M18™ REDLITHIUM™ HIGH OUTPUT™ XC6.0 Battery Pack (2 Pk)

The M18<sup>TM</sup> REDLITHIUM<sup>TM</sup> HIGH OUTPUT<sup>TM</sup> XC6.0 Battery Pack provides 50% more power and runs 50% cooler vs M18<sup>TM</sup> REDLITHIUM<sup>TM</sup> XC battery packs. The optimized combination of size and increased power provides a great solution for the entire range of M18<sup>TM</sup> products.

#### **Get one of these FREE!**





Milwaukee 48-11-1850 M18™ REDLITHIUM™ XC5.0 Extended Capacity Battery Pack [1606260]



1544628

Milwaukee 0880-20 M18<sup>™</sup> 2-Gallon Wet/Dry Vacuum [1544628]





Milwaukee 2719-20 M18 FUEL™ Hackzall® (Tool Only) [1606261]





Milwaukee 2891-20 M18<sup>TM</sup>/M12<sup>TM</sup> Wireless Jobsite Speaker [1606262]

#### **BUY THIS**



#### Milwaukee 2997-22 M18 FUEL™ 2-Tool Combo Kit: Hammer Drill/Impact

The M18 FUEL ½" Drill Driver is the Industry's Most Powerful Drill delivering Up to 60% More Power, is Up To 1.5" Shorter and is Up To 2X Faster Under Heavy Load. The POWERSTATETM Brushless motor delivers 1,200 in-lbs of torque and 2,000 RPMs providing fast drilling through demanding applications.

#### **Get one of these FREE!**





Milwaukee 48-11-1850 M18™ REDLITHIUM™ XC5.0 Extended Capacity Battery Pack [1606263]





Milwaukee 0880-20 M18™ 2-Gallon Wet/Dry Vacuum [1606265]





Milwaukee 2719-20 M18 FUEL™ Hackzall® (Tool Only) [1606264]





Milwaukee 2891-20 M18<sup>TM</sup>/M12<sup>TM</sup> Wireless Jobsite Speaker [1606266]

59

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.



**DEALS FROM MILWAUKEE** 

These deals valid until 01/31/21. Must use eclipse IDs when purchasing.

#### **BUY THIS**



#### Milwaukee 2997-23 M18 FUEL™ 3 Tool Combo Kit Includes:

- (1) M18 FUEL™ ½" Hammer Drill/Driver (Tool Only) (2804-20) (1) M18 FUEL™ 1/4" Hex Impact Driver (Tool Only) (2853-20) (2) M18™ REDLITHIUM™ XC5.0 Extended Capacity Battery Pack (48-11-1850)
- (1) M18<sup>TM</sup> & M12<sup>TM</sup> Multi-Voltage Charger (48-59-1812)
- (1) Carrying Case
- (1) Side Handle
- (2) Belt Clip
- (2) Bit Holder

#### Get one of these FREE!











Milwaukee 48-11-1850 & 2891-20 [1606278]

#### **BUY EITHER OF THESE**





Milwaukee 2677-23 M18™ FORCE LOGIC™ 6T Knockout Tool 1/2" - 4" Kit [1606280] Milwaukee



Milwaukee 2676-23 M18<sup>TM</sup> FORCE LOGIC<sup>TM</sup> 10T Knockout Tool 1/2" - 4" Kit [1606281]



Includes Milwaukee 2853-20 M18 FUEL™ 1/4" Hex Impact Driver (Tool Only) & 49-16-2704 EXACT™ Rapid Reset 1-1/8" Draw Stud Set



**DEALS FROM MILWAUKEE** 

These deals valid until 01/31/21. Must use eclipse IDs when purchasing.

### **BUY ONE OF THESE**



### 1606267

### Milwaukee 2803-22 M18 FUEL™ 1/2" Drill Driver Kit [1606267]

The M18 FUEL™ ½" Drill/Driver is the Industry's Most Powerful Drill by delivering Up to 60% More Power, Up To 1.5" Shorter length and Up To 2X Faster Speed Under Heavy Load. The POWERSTATE™ Brushless motor delivers 1,200 in-lbs of torque and 2,000 RPMs, providing fast drilling through demanding applications.

### **Get this FREE!**



Milwaukee 48-11-1850 M18™ REDLITHIUM™ XC5.0 Extended Capacity Battery Pack



### 1606270

### Milwaukee 2853-22 M18 FUEL™ 1/4" Hex Impact Driver Kit [1606270]

The M18 FUELTM ¼" Impact Driver is the Fastest, Most Compact, and Most Powerful tool in its class. The POWERSTATETM Brushless motor delivers up to 2,000in-lbs of torque and up to 30% Faster Driving speed, increasing your productivity for the most demanding fasteners on the job. With the Most Compact impact driver at only 4.59" in length, you will have more access in tight spaces. The REDLINK PLUSTM intelligence ensures maximum performance and protects from overloads, heating or over-discharge. The REDLITHIUM Battery Pack delivers more work per charge and more work over the life of the pack than competitors. The 4-Mode DRIVE CONTROLTM provides greater control over output speed and power for greater versatility. Self-Tapping Screw mode provides faster installation time by reducing stripping of fasteners.



#### 1606268

### Milwaukee 2804-22 M18™ FUEL 1/2" Hammer Drill Kit [1606268]

The M18 FUEL™ 1/2" Hammer Drill is the industry's most powerful brushless battery powered drill, delivering up to 60% more power. Its cordless body is up to 1.5 shorter and up to 2-times faster under heavy load than other models. The allmetal ratcheting chuck is the best-in-class giving users increased bit grip strength and corrosion resistance. The POWERSTATE™ Brushless Motor was purposely built for the brushless drill to provide Up To 60% more power than the competitive set. Built-in REDLINK PLUS™ Intelligence ensures optimal tool performance and provides overload protection to prevent damage to the tool and battery during heavy applications while still maintaining compatibility across the entire M18™ system. The REDLITHIUM™ High Output™ HD12.0 Battery Pack delivers more work per charge and more work over the life of the pack than competitors. In addition to the drill, this kit comes with two M18 REDLITHIUM XC 5.0 battery packs (48-11-1850), one M18/M12 multi-voltage rapid charger (48-59-1812), a side handle, belt clip, belt holder, and a durable carrying case.



**DEALS FROM MILWAUKEE** 

These deals valid until 01/31/21. Must use eclipse IDs when purchasing.

#### **BUY ONE OF THESE**





Milwaukee 2779-750C M18<sup>™</sup> FORCE LOGIC<sup>™</sup> 750 MCM Crimper Kit with EXACT<sup>™</sup> #6 – 750 MCM Cu Dies [1606271]



Milwaukee 2779-750A M18<sup>™</sup> FORCE LOGIC<sup>™</sup> 750 MCM Crimper Kit with EXACT<sup>™</sup> #6 – 750 MCM AI Dies

[1606272]

#### **Get this FREE!**



Milwaukee 2997-22-PROMO-KIT M18 FUEL™ 2-Tool Combo Kit: Hammer Drill/Impact

#### **BUY THIS**



## \$1,699.00 ea.

Cable Cutter Kit

The M18™ FORCE LOGIC™ CABLE CUTTER KIT with 750

MCM Cu/Al Jaws delivers the fastest installation ready cuts.

This open jaw, fully balanced in-line tool allows you to cut effortlessly in the tightest panels without looping.

# Get one of these FREE!





Milwaukee 2935AL-21 M18™ Cable Stripper Kit for Al THHN / XHHW

[1606273]





Milwaukee 2935CU-21 M18™ Cable Stripper Kit for Cu THHN / XHHW

[1606274]



# \$300 OFF!

**Bundled Deals from Milwaukee** 

These deals valid until 01/31/21. Must use eclipse IDs when purchasing.



\$4,999.00 ea.

Milwaukee MXF301-2CXS MX Fuel Handheld Core Drill Kit + MXFC-2XC REDLITHIUM™ XC406 Battery/ Charger Expansion Kit



\$3,499.00 ea.
Milwaukee MXF314-2XC MX FUELTM 14" Cut-Off Saw

1606154

Milwaukee MXF314-2XC MX FUEL™ 14" Cut-Off Saw + MXFC-2XC REDLITHIUM™ XC406 Battery/ Charger Expansion Kit [1606154]





\$3,499.00 ea.

Milwaukee MXF368-1XC MX FUEL<sup>IM</sup>
Breaker + MXFC-2XC REDLITHIUM<sup>TM</sup>
XC406 Battery/ Charger Expansion Kit
[1606155]

## SMART**BUYS**

Pricing valid January 1 - February 28, 2021



Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.



#### Milwaukee 2853-22PO M18 FUEL 18-Volt Lithium-lon Brushless Cordless 1/4 in. Impact Driver Kit with Two Batteries, Drill Bits, PACKOUT Case [1606044]

Milwaukee's M18 FUEL<sup>TM</sup> ¼" Impact Driver is the Fastest, Most Compact, and Most Powerful tool in its class. The POWERSTATE<sup>TM</sup> Brushless motor delivers up to 2,000in-lbs of torque and up to 30% Faster Driving speed, increasing your productivity for the most demanding fasteners on the job. With the Most Compact impact driver at only 4.59" in length, you will have more access in tight spaces.



## \$199.00 ea. || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 1271938 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127198 || 127

Milwaukee 2598-22 M12 FUEL™ 2-Tool Combo Kit: 1/2" Hammer Drill and 1/4" Hex Impact Driver [1271938] INCLUDES:

- (1) M12 FUEL™ 1/2" Hammer Drill (2504-20)
- (1) M12 FUEL™ 1/4" Hex Impact Driver (Tool Only) (2553-20)
- (1) M12<sup>™</sup> REDLITHIUM<sup>™</sup> CP2.0 Battery (48-11-2420)
- (1) M12  $^{\text{\tiny TM}}$  REDLITHIUM  $^{\text{\tiny TM}}$  XC 4.0 Extended Capacity Battery Pack (48-11-2440)
- (2) Belt Clip
- (1) Contractor Bag



### **\$19.99 ea. .........**

Milwaukee 48-22-0325G Compact Wide Blade Magnetic Tape Measure [1605800]

The Milwaukee 25 ft. Compact Magnetic Tape Measures have up to 15 ft. of reach and a magnet that easily attaches to EMT & steel studs. The tape is wear and impact-resistant with nylon blade protection and an additional anti-tear coating on the first 6 in. of the blade, reducing tape tear. Built to withstand the jobsite, the compact measuring tapes are constructed with a 5-point reinforced frame for impact resistance. The tape measures feature double-sided printing with blueprint scale allowing users to easily read and transfer measurements, increasing their productivity.



## 

Milwaukee 2505-22 M12 FUEL™ Installation Drill/Driver Kit [1470018]

4-1 DEDICATED SOLUTIONS

4 interchangeable solutions provide maximum versatility

Each attachment connects in 16 different positions for access at almost every angle

1/4" Hex, 3/8" Chuck, and Offset can attach to the right angle for additional drilling or fastening needs at a right angle

REDEEM AT www.milwaukeetool.com/e-rebates/ic

## END USER E-REBATE

ALL MILWAUKEE® CARBIDE MASONRY ACCESSORIES ELIGIBLE FOR E-REBATE

\*\*ALL ITEMS OFFERED ARE AVAILABLE WHILE SUPPLIES LAST. IF ANY ITEM IS OUT OF STOCK, AN ITEM OF EQUIVALENT VALUE WILL BE SUBSTITUTED\*\*







REDEEM AT www.milwaukeetool.com/e-rebates/ic

## END USER E-REBATE

ALL MILWAUKEE® STEP BITS
ACCESSORIES ELIGIBLE FOR E-REBATE

\*\*ALL ITEMS OFFERED ARE AVAILABLE WHILE SUPPLIES LAST. IF ANY ITEM IS OUT OF STOCK, AN ITEM OF EQUIVALENT VALUE
WILL BE SUBSTITUTED\*\*



infidential Document Property of MILWAUKEETOOL Brookfield, Wisconsin 53005 omotion subject to change. Limited Quantities. Cannot be combined with any other promotions unless noted





Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.





Milwaukee ELG3D Empire 125 Ft Green Self-Leveling 3-Point Laser [1605500]



# **SMARTBUYS**

Pricing valid January 1 - February 28, 2021



Self-Leveling 3-Point Laser provides a bright, durable and compact, alkaline powered laser level solution that can assist in a variety of layout applications. The bright green laser provides the user pronounced visibility when working with the laser level, even in well-lit conditions. This green laser level is powered by 4 AA Alkaline batteries giving the users up to 30-hours plus of continuous runtime, allowing for less downtime versus competitive alkaline laser solutions. The laser has a locking pendulum and rugged over-molded housing, allowing it to withstand impact if dropped and maintain proper calibration. This 3 point laser level also features powerful rare earth magnets that aid the user when splitting the beam over a steel track. The Green Self-Leveling 3-Point Laser (eLG3D) comes with a 1-year Limited Lifetime Warranty.



Milwaukee ELGC Empire 75 Ft Green Self-Leveling Cross Line Laser [1605501]





### Milwaukee 3510-21 USB Rechargeable Green 3-Point Laser [1605489]

This USB Rechargeable Green 3 Point Laser is powered by REDLITHIUM™ USB, delivering you all-day runtime and uncompromised visibility. The high-intensity laser beams allow the green points to be visible up to 150' for fast, accurate point transfer.



#### Milwaukee 3521-21 USB Rechargeable Green Cross Line Laser [1605490]

This USB Rechargeable Green Cross Line Laser is powered by REDLITHIUM™ USB, delivering you all day runtime and uncompromised visibility. The high-intensity laser beams allow you to see the green lines up to 100' for fast and accurate leveling and alignment.








### Milwaukee 3522-21 USB Rechargeable Green Cross Line & Plumb Points Laser [1605491]

Milwaukee's USB Rechargeable Green Cross Line and Plumb Points Laser is powered by REDLITHIUM™ USB, delivering all day runtime and uncompromised visibility. The high-intensity laser beams allow you to see the green beams, lines, and plumb points up to 100' for fast and accurate leveling and alignment.







#### Milwaukee 48-35-1111 Responsive Laser Alignment Target [1605497]

- High Visibility Illumination
- Responsive Centering Alignment
- Wide Magnetic Base
- 1/4" & 1cm Increments
- Hang Hole
- High Contrast Reflective Surface
- Rare Earth Magnets
- For use with Green Lasers







### Milwaukee 3622-21 M12<sup>™</sup> Green Cross Line & Plumb Points Laser Kit [1605493]

The Milwaukee M12<sup>™</sup> Green Cross Line & Plumb Points Laser provides all day runtime and best visibility in its class. Using the M12<sup>™</sup> REDLITHIUM<sup>™</sup> 3.0 CP Battery, you get 15+ hours of continuous runtime for ultimate productivity. The high-intensity green laser offers you superior visibility up to 125' for long-range applications.







INSPECTABLE
Pre-Insulated
Mechanical
Connectors

Performance
Versatility
Simplicity





Single- and Dual-Sided Entry Insulated Multi-Tap Connectors, and Two Wire In-line and Offset Insulated Splicer-Reducers with a Broad Wire Range of 750 kcmil to 14 AWG

See your Capital Electric Sales Representative for more information.

\*\*\*Item Not In Stock - Special Order Only\*\*\*

### **ALL JACK™**

#### LIFT AND HOLD YOUR WORKPIECE IN PLACE



Increase productivity and decrease fatigue using iTOOLco's All Jack<sup>TM</sup>. Install pipe, lights, cabinets, drywall, temporary dust barriers and much more with this innovative jack designed to lift and support the weight of your workpiece while you anchor it into position.

High ceilings and ladder work are not a problem for this dynamic tool. Reach from 58" to a staggering height of 13'6". The industrial gas shock ensures a snug, stable support that stays in place while you complete the installation. Once your workpiece is secured into place, simply remove the All Jack<sup>TM</sup> by releasing the shock. More powerful than a typical support pole, the All Jack's gas shock can handle your most challenging jobs.







Holds workpiece in place at various angles



One handed gas shock operation



Perfect for overhead & lift work



FASTER SAFER WORKSPACE

### GROUND ROD DAWG™

DRIVE GROUND RODS SAFELY IN SECONDS



Safely drive 1/2", 3/8", 5/8", and 3/4" rods from the ground in under a minute with iTOOLco's Ground Rod Dawg™. Once rod is driven down far enough the tool will hammer from top to finish driving rod under grade levels from ground.



THE BUILDING. The iTOOLco Ground Rod Dawg™ was a real time saver and provided safety we never knew existed. We used to drag a ladder around and drive rods from the top. Not anymore! Thanks for another fantastic tool iTOOLco.

Gordon Gebman Foreman Omega Electric







Safely drive rods from ground



Tool locks into hammer drill



Fits 1/2", 5/8" and 3/4"

**FASTER SAFER WORKSPACE** 

#### **PULLING FROM REMOTE LOCATIONS** IS NO LONGER A CHALLENGE



- · 4 Speed dual capstan
- 40' & 108' per minute on 1,500 lb large capstan
- · 18' & 50' per minute on 3,000 lb small capstan
- · Built-in rope engagement capstan switch
- · High-capacity rechargeable batteries
- · Changes from side pull to overhead, underground or truck hitch

MODEL: CM3K Cordless Cannon 3K™ (Includes CM3K-1 & C3KAP) 48"H × 21.5"L × 21.5"W 130 LB.















Ridgid 26092 Model 1224 Pipe Threading Machine, 36/12 RPM Pipe Threading Machine with Hammer Chuck, 1/2-Inch to 4-Inch Pipe Dies and NPT Threading Die Head

[204135] Item not in stock - special order only.

- An induction motor helps minimize noise.
- A special capacitor-start / capacitor-run motor allows the 1224 to thread a full range of material where voltage drop is experienced.
- 1/4"-2" Universal Die Head; 2 1/2"-4" receding die head allows cutting of tapered or straight NPT/NPSM or BSPT/BSPP threads.
- Constant and proper lubrication of dies and workpiece with through-head oiling.





**GPS** [1453295] Item not in stock - special order only.





Ridgid 19238 NaviTrack Scout® Locator [726369] Item not in stock - special order only.



Ridgid 67182 Model 300 Compact Threading Machine [979428] Item not in stock - special order only.





Ridgid 21898 SeekTech ST-305 Line Transmitter, Line Tracer and Underground Line Locator, Yellow, Small [1141655] Item not in stock special order only.




# SMART**BUYS**

Pricing valid January 1 - February 28, 2021









Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.



#### Greenlee CS-8000 (50121260) Circuit Seeker

[398373] Item not in stock - special order only.

- Advanced patented non-directional sensing technology
- Superior sensitivity and functionality providing for accurate tracing & locating
- Ergonomic receiver with information-rich full-color graphical LCD
- Graphics and audible signal provide quick and easy way to understand tracing feedback
- Traces concealed wiring, locates junction boxes, and finds breakers for live or open circuits
- Locates and identifies blown fuses
- Finds shorts and breaks in conductors
- · Low pitch, high volume audible indicator
- User-selectable automatic or manual gain capability for fast, convenient use
- · Can be used on GFCI protected circuits
- · Automatic backlight on receiver maximizes battery life
- Supports transmitter-to-receiver distances up to 4 miles for closed circuit tracing
- Lifetime Limited Warranty









#### Greenlee 854DX (52067299) Single Shoe Electric Conduit Bender

[916972] Item not in stock - special order only.

- VERSATILE 1 shoe bends ½" to 2" EMT, IMC and Rigid conduit
- ACCURATE Absolute encoder stops bending at precise angles
- RELIABLE Solid state electronics rated for 1,000,000+ bends.
- Simple switching between vertical and horizontal bending configurations
- Digital pendant sets angle and monitors process
- Solid state system eliminates arcing and prevents damage from temporary power loss



Pricing valid January 1 - February 28, 2021





#### \*\*\*NEW TOOLS\*\*\* GREENLEE GATOR INSULATED CRIMPERS AND CUTTERS

-not in stock - special order only-



EK425VXD011 Crimper, 6T V, **CJD30 120V** [1556508]



EK425VXK11 Crimper 6T V, **CJK. 120V** [1556511]



EK6IDCVX11 Crimper 6T V, 6ID, 120V (PVC) [1556515]



EK628VX11 **Crimper 6T** [1550969]



V, CJ22 120V



ES32HVX11 Cutter V, 32MM, 120V (PVC) [1556516]



ESC35HVX11 Cutter, V. 35MM, 120V (PVC) [1556517]



ESC50HVX11 Cutter, V. 50MM, 120V (PVC) [1556518]

#### **NEW!! FIRST OF THEIR KIND INSULATED CRIMPERS AND CUTTERS**

**NEW PRODUCTS!** 

The new Greenlee Gator Insulated Series batterypowered hydraulic cutting and crimping tools feature a patent-pending design to help protect operators from electrical shock up to 1000V

The Tri-Insulation Barrier impedes voltage from discharging between the tool head and tool body.

Each tool undergoes dielectric testing as part of our production process to assure voltage protection up to 1000V.

Brush guarded heads, which aid in avoiding accidental contact with conductors.

**Insulated Crimping Tools:** 

EK6IDCVX - 6-Ton In-Line Indenter • EK622CVX -6-Ton In-Line Crimper • EK628VX – 6-Ton In-Line Crimper • EK425VX − 6-Ton In-Line Crimper

Insulated Cutting Tools: • ESC50HVX – In-Line Cable Cutter • ESC35HVX - In-Line Cable Cutter • ES32HVX - In-Line Cable Cutter • ESC25HVX - In-Line ACSR Cutter • ES20HVX - In-Line ACSR Cutter

**GREENLEE** 





#### Greenlee G1 Cordless G1 Versi-Tugger™ Handheld 1000 LB Puller

[1500842] Item not in stock - special order only.

- Handheld, Cordless Puller
- Constant pull force up to 600 lbs
- Unload Poly Line In Seconds After A Pull Line slides off tapered capstan when spool wall is removed, no need to reverse the drill
- Pull 68% faster than manual pulling
- Works most 18v-20v cordless drills
- Adjustable boom The 17" rotatable boom guickly adjusts to fit each job with 3 length positions to choose from. Extend the boom with 1" rigid conduit
- Universal Pulling Head One-size-fits-all pulling head attaches quickly to any size conduit from 1/2" - 4"

### **NEW PRODUCTS!**









# \$16.99 ea

#### NEW!! Klein Tools 60388 Heavy Knit Hat [1613303]

- Knit hat is made from heavy knit to provide extra warmth in cold weather
- Limited edition vintage Klein Tools logo prominent on front of hat
- Durable construction with smooth seams and snag resistant
- · Wide cuff keeps ears extra warm and blocks wind
- Snug fit for warmth and comfort in cold elements
- Made of 98% Polyester, 2% Spandex
- One size fits most

# \$13.50 ea.

#### NEW!! Klein Tools 60391 Knit Beanie [1613304]

The Knit Beanie from Klein Tools provides a layer of protection from cold temperatures and the wind. Beanie is fleece-lined and ribbed-knit for a snug fit. Wear under a hard hat or alone. All black knit beanie features high-visibility yellow band on trim. Winter Gear from Klein Tools provides ultimate warmth options so you can focus on getting the job done.

- Knit Beanie is fleece lined for extra comfort and warmth
- · Ribbed-knit for a snug fit
- Wear under a hard hat or alone

# \$13.00 ea

#### NEW!! Klein Tools 60132 Heat Exchange Balaclava [1479310]

- Balaclava is a stretchable one-piece fleece for ultimate warmth
- Extra layer of wind-protectant fabric on mouth and neck panel
- Designed with hinged top and can be used as a neck gaiter
- · Long length to keep your neck warm
- 3-panel construction for comfort
- · Flat lock seams won't irritate skin
- One size fits most
- Machine washable

### **SMARTBUYS**

Pricing valid January 1 - February 28, 2021



Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.





**\$33.60 ea.** 

Klein Tools 56048 Rechargeable Headlamo with Strap, 400 Lumen All-Day Runtime, Auto-Off [1584395]

Klein Tools' rechargeable headlamp provides three modes to fit your task: a bright, 22-hour floodlight; a brighter 12-hour focused spotlight, and a super-bright 400 lumen boost mode.





### **\$299.00 ea.**

NEW!! Klein Tools Tl250 Thermal Imager [1583666] The Klein Tools Tl250 is an easy-to-use, USB rechargeable Thermal Imager. The large LCD displays unseen hot and cold spots for instant troubleshooting. Excellent resolution with over 10,000 pixels and your choice of three color palettes. The meter provides high and low temperature points, crosshairs to pinpoint specific temperatures, and options for temperature alarms. The addition of a microSD® Card (optional) allows the meter to capture and store images for reporting.





**\$33.59 ea.** 

Klein Tools 33734INS Slim-Tip Insulated Screwdriver Set, Phillips, Cabinet, Square, 4-Piece [1563897]

Klein Tools' Slim-Tip Insulated Screwdrivers have slim profile tips that allow for greater access into terminal blocks, slim-style breakers, or other tight spaces near energized sources.





**\$20.99 ea.** 

Klein Tools 33732INS Slim-Tip Insulated Screwdriver Set, Phillips And Cabinet Tips, 2-Piece [1559145]

Klein Tools' Slim-Tip Insulated Screwdrivers have slim profile tips that allow for greater access into terminal blocks, slim-style breakers, or other tight spaces near energized sources.





### **SMARTBUYS**

Pricing valid January 1 - February 28, 2021



### 

Marley 2516W 120V 1500W 6FT Residential Baseboard Heater 1794901

- Convection heats the room rapidly, without uneven hot and cold zones, providing comfort from floor to ceiling.
- Heat your space without kicking up dust or other allergens. The natural convection airflow doesn't rely on a blower or fan to move warm air throughout the room.
- Wire up and connect this baseboard quickly and easily with its large wiring compartment, dual knockouts and built-in cable clamp.
- For maximum efficiency, the unit converts all incoming electric energy into heat, according to Department of Energy standards.
- For worry-free warmth, these UL Listed baseboard heaters offer an overheat protection feature that prevents the unit from running when its air intake is blocked.



## \$43.95 ea. || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 100278 || 10

For quiet, comfortable heating, choose these baseboard heaters. These fan-free heating units deliver warmth and comfort in a low-profile housing that's safe to install on the wall or directly on carpet, tile or other flooring.

### 

Marley QPH4A Portable Unit Heater [243888]

When the temperature drops, bring in some extra warmth with a heavyduty portable heater. With the option to go freestanding or mount it on the wall or ceiling, it fits perfectly in your garage, workshop or jobsite.

- Two heat settings: 9,100 BTUs (2,667 Watts), 13,650 BTUs (4,000 Watts)
- Permanently lubricated, unit-bearing fan motor
- Three-way bracket lets you position unit on floor or other flat surface, or mount to ceiling or wall
- · Adjustable thermostat to maintain heating comfort levels
- Compact and easy to carry with built-in handles
- 6 ft. cord included





### 

Marley CZ1512T 1500W 120V Compact Wall Heater [961888]

For true zonal heating in a compact design that fits in anywhere, choose QMARK wall heater CZ1512T. Its fast-response heating element kicks in quickly, providing warmth for your bedroom, bathroom or hallway. The patented clip-n-fit system, thermal fuse and self-hold limit makes installing it on the wall safe and easy.





### 

This rugged unit heater works well in industrial settings. Install it in factories, warehouses, garages, stairwells, power stations or mechanical rooms. Its powerful output capacity even makes it suitable for heating your loading dock or other indoor/outdoor transition spaces.



### 

Marley AWH4404F 240V 4000/2000W Heavy-Duty Wall

**Heater** [1017332]

QMark / Marley high-capacity, heavy-duty fan forced wall heaters are designed for use almost anywhere in commercial or industrial areas requiring high capacity and quick recovery. They perform exceptionally well in such applications as commercial buildings, entryways, hotels, offices, restaurants and stores.



81



Capital Electric provides electrical products, lighting, and services to contractors, builders, and end-users in the Mid-Atlantic and Southeastern regions. We serve customers in the District of Columbia, Maryland, Virginia, Delaware, Pennsylvania, West Virginia, North Carolina, South Carolina, and Georgia from over 70 locations and from our 220,000 square foot headquarters and central distribution center in Upper Marlboro, MD. Our mission is to be The Electrical Distributor of Choice for our customers, our employees, and our suppliers.

PENNSYLVANIA					
Chambersburg	420 W. Commerce St, Chambersburg, PA 17201	(717) 264-4631	Midlothian	2931 Oak Lake Blvd, Midlothian, VA 23112	(804) 588-4866
Gettysburg	1660 Biglerville Rd, Gettysburg, PA 17325	(717) 334-6721	Newport News	1030 48th St, Newport News, VA 23607	(757) 244-0125
Hanover	100 Kindig Ln, Ste 4, Hanover, PA 17331	(717) 632-7773	Norfolk	2400 Alabama Ave, Norfolk, VA 23513	(757) 855-3161
Lancaster	1812 Olde Homestead Ln, Ste A, Lancaster, PA 17601	(717) 394-6881	Oyster Point	813 Diligence Dr, Ste 125, Newport News, VA 23606	(757) 327-7914
McConnellsburg*	22438 Great Cove Rd, McConnellsburg, PA 17233	(717) 987-0183	Richmond	801 Johnston Willis Dr, Richmond, VA 23236	(804) 379-7770
Mechanicsburg	4700 Westport Dr, Mechanicsburg, PA 17055	(717) 766-3287	Richmond	1901 N. Hamilton St, Richmond, VA 23230	(804) 355-8003
York	1150 N. Sherman St, York, PA 17402	(717) 755-1455	Roanoke	811-B Connecticut Ave NE, Roanoke, VA 24012	(540) 283-5353
			Sterling	45969 Nokes Blvd, Ste 155, Sterling, VA 20166	(703) 444-5080
MARYLAND			Virginia Beach	2561 Horse Pasture Rd, Ste 102, Virginia Beach, VA 23453	(757) 821-7733
Annapolis	1816 George Ave, Annapolis, MD 21401	(410) 919-2400	Virginia Beach	5894 Thurston Ave, Virginia Beach, VA 23455	(757) 460-1161
Baltimore	600 W. Hamburg St, Baltimore, MD 21230	(410) 752-4080	Williamsburg	1637 Merrimac Trl, Williamsburg, VA 23185	(757) 253-1440
Beltsville	10417-B Baltimore Ave, Beltsville, MD 20705	(301) 837-5000	Winchester	2740 S. Pleasant Valley Rd, Winchester, VA 22601	(540) 662-1769
Chestertown	305 N. College Ave, Chestertown, MD 21620	(410) 778-1154	Woodbridge	3320 Noble Pond Way, Ste 106, Woodbridge, VA 22193	(703) 586-9590
Columbia	9570 Berger Rd, Columbia, MD 21046	(410) 995-6844			
Cumberland	86 Wineow St, Cumberland, MD 21502	(301) 777-0060	WEST VIRGINIA		
Frederick	270 Interstate Cir, Ste 200, Frederick, MD 21704	(301) 663-1232	Martinsburg	48 Brian Dr, Martinsburg, WV 25405	(304) 263-1212
Gaithersburg	15886 Gaither Dr, Ste A, Gaithersburg, MD 20877	(301) 921-4446			
Glen Burnie	175 Penrod Ct, Ste Q-S, Glen Burnie, MD 21061	(410) 761-2870	NORTH CAROLINA		
Golden Ring	6903 Golden Ring Rd, Rosedale, MD 21237	(410) 918-0540	Charlotte	1407-C Westinghouse Blvd, Charlotte, NC 28273	(704) 588-6878
Hagerstown (Cross Dock)	12101 Insurance Way, Hagerstown, MD 21740	(301) 302-8575	Durham	4001 Stirrup Creek Dr, Ste 600, Durham, NC 27703	(919) 384-7093
Hagerstown (Counter)	12111 Insurance Way, Hagerstown, MD 21740	(301) 302-8409	Fayetteville	334 E. Mountain Dr, Fayetteville, NC 28306	(910) 323-0303
Havre de Grace	1846 Pulaski Hwy, Havre de Grace, MD 21078	(410) 939-5880	Gastonia	1434 Castle Ct, Gastonia, NC 28052	(704) 866-6000
Ocean Pines	11070 Cathell Rd, Ste 25, Berlin, MD 21811	(410) 208-0800	Greensboro	407-A Pomona Dr, Greensboro, NC 27407	(336) 294-3257
Salisbury	1774 Westwood Dr, Salisbury, MD 21801	(410) 546-1221	Hickory	222 22nd St SW, Hickory, NC 28602	(828) 328-2295
Timonium	14 W. Aylesbury Rd, Lutherville-Timonium, MD 21093	(410) 252-7020	Raleigh	2539 Noblin Rd, Ste 107, Raleigh, NC 27604	(919) 876-3650
Upper Marlboro (Office)	8511 Pepco PI, Upper Marlboro, MD 20772	(301) 909-6500			
Upper Marlboro (Counte	r) 8511 Pepco PI, Upper Marlboro, MD 20772	(301) 909-6550	SOUTH CAROLINA		
Westminster	1101-A Business Pkwy S, Westminster, MD 21157	(410) 848-3050	Anderson	615 McGee Rd, Anderson, SC 29625	(864) 932-4126
White Plains	4382 Crain Hwy, White Plains, MD 20695	(301) 885-3232	Bluffton (Hilton Head)	23 Simmonsville Rd, Bluffton, SC 29910	(843) 706-1600
			Charleston	4801-A Rivers Ave, Charleston, SC 29406	(843) 745-6900
VIRGINIA			Columbia	900 Sunset Blvd, West Columbia, SC 29169	(803) 739-6000
Alexandria	5701 General Washington Dr, Ste A-B, Alexandria, VA 22312	(703) 253-9780	Moncks Corner	502 E. Main St, Moncks Corner, SC 29461	(843) 761-6627
Ashland	11052 Air Park Rd, Ashland, VA 23005	(804) 752-6124	Myrtle Beach	3908 Wesley St, Myrtle Beach, SC 29579	(843) 236-8603
Blacksburg	2901 Prosperity Rd, Ste A, Blacksburg, VA 24060	(540) 953-4590			
Charlottesville	2100 Berkmar Dr, Charlottesville, VA 22901	(434) 977-2990	GEORGIA		
Charlottesville	2390 Hunters Way, Charlottesville, VA 22911	(434) 293-8117	Augusta	806 Trane Rd, Augusta, GA 30909	(706) 736-7021
Chesapeake	1122 Executive Blvd, Ste B, Chesapeake, VA 23320	(757) 547-7222	Savannah (Pooler)	83 Columbia Dr, Pooler, GA 31322	(912) 964-3013
Colonial Heights	1104 W. Roslyn Rd, Colonial Heights, VA 23834	(804) 431-3929			
Fairfax	2808 Merrilee Dr, Ste A, Fairfax, VA 22031	(703) 485-8960		ENGCO GUDDI V	
Fishersville	1688 Jefferson Hwy, Ste 102, Fishersville, VA 22939	(540) 946-7950		ENSCO SUPPLY A Sonepar Company	
Fredericksburg	11001 Houser Dr, Ste 18, Fredericksburg, VA 22408	(540) 710-7200	ENSCO LOCATIONS		
Goochland	12925 Plaza Dr, Richmond, VA 23233	(804) 476-3095	Charlotte	4400 South Tryon St, Charlotte, NC 28217	(704) 529-1523
Harrisonburg	1602 S. High St, Harrisonburg, VA 22801	(540) 433-8200	Greensboro	407-A Pomona Dr, Greensboro, NC 27407	(336) 292-9000
Manassas	7203 Gateway Ct, Manassas, VA 20109	(703) 361-6028	Raleigh	2539 Noblin Rd, Ste 106, Raleigh, NC 27604	(919) 231-4040
			-		·

\*sales office only

The electrical distributor of choice

# SMARTBUYS

### MANUFACTURER'S INDEX

3M	39-41
Arlington	52
BRK	54, 55
Broan NuTone	50
Cablofil/Legrand	38
Connectrac/Legrand	2, 3
Cooper Lighting Solutions	1, 11-18
Eaton B-Line	42
Eaton Bussmann	19
Eaton Crouse-Hinds	33
Federal Signal	
Fluke	57
Generac	43
Greenlee	73-77
Hubbell Wiring	56
ILSCO	68
Intermatic	51
iTOOLco	69-71
Keystone	10
Kichler	10

Kidde	47-49
Klein Tools	77, 78
Light Efficient Design	8
Lightolier by Signify	23
Lithonia Lighting/Acuity	1, 4-7
Louisville Ladder	53
Lutron	24-27
Marley	79, 80
Milbank	21
Milwaukee	58-67
nVent CADDY	30, 31
nVent ERICO	28, 29
Pass & Seymour/Legrand	44, 45
Progress Lighting	32
RAB	22
Ridgid	72
Schneider/Square D	1, 34-37
Sylvania	20
Wiremold/Legrand	46



