

MAKE ALL YOUR RIGID & IMC CONNECTIONS WITH THE QUALITY, SELECTION AND EASY-INSTALL LEADER





SCAN HERE TO VISIT OUR YOUTUBE CHANNEL

# **BRIDGEPORT'S**

# BETTER BODIES.

How do you get a better body? Bridgeport's high quality production standards make our conduit bodies the better choice for fast, hassle-free installation every time. From the laser-accurate threads on our rigid bodies to the foolproof versatility of our combination LL/LR bodies, Bridgeport conduit bodies are the top performers.



#### Threaded bodies for Rigid Conduit and IMC.

Delivering easy access for inspection, pulling and maintenance. Aluminum units are available with covers and gaskets. Gaskets provide rain-tight protection and are impervious to most liquids and oil. Available mogul bodies and service entrance LBs allow larger access into a raceway for wire pulling. Service entrance LBs mount flush, allowing access to the interior of a conduit system for inspection, pulling and maintenance.



- Threaded for Rigid Conduit or IMC
- Constructed of Aluminum or Malleable Iron
- Aluminum bodies available with or without covers and gaskets
- UL Listed. File No. E11077 CSA File No. 702847 (Selected Units)



#### **Set Screw Type conduit bodies for EMT.**

These rugged, copper-free aluminum bodies are available with optional covers and gaskets. Gaskets provide both dust and rain-tight protection and are impervious to most liquids and oil.

- Set Screw Type
- Optional covers and gaskets
- UL Listed. File No. E11077



**Combination conduit bodies for both Rigid** and EMT. Units have a threaded interior for use with rigid as well as set screws for EMT, reducing your inventory costs. Constructed of rugged, copper-free aluminum.

- Combination conduit bodies for use with EMT or Rigid Conduit
- Combination bodies have both:
  Threaded interior for use with Rigid
  Set screws for use with EMT
- Preassembled with cover and gasket



### CONDUIT BODIES FOR RIGID & IMC CONDUIT (CONT.)

# · Ce

#### Type LL Conduit Bodies (cont.)

Catalog	Trade	
Number	Size	Material
LL-61	1/2"	Malleable Iron
LL-62	3/4"	Malleable Iron
LL-63	1"	Malleable Iron
LL-64	1 1/4"	Malleable Iron
LL-65	1 1/2"	Malleable Iron
LL-66	2"	Malleable Iron
LL-67	2 1/2"	Malleable Iron
LL-68	3"	Malleable Iron



Type T Conduit Bodies (cont.)

Catalog	Trade	
Number	Size	Material
T-41CG	1/2"	Aluminum w/ Cover and Gasket
T-42CG	3/4"	Aluminum w/ Cover and Gasket
T-43CG	1"	Aluminum w/ Cover and Gasket
T-44CG	1 1/4"	Aluminum w/ Cover and Gasket
T-45CG	1 1/2"	Aluminum w/ Cover and Gasket
T-46CG	2"	Aluminum w/ Cover and Gasket
T-61	1/2"	Malleable Iron
T-62	3/4"	Malleable Iron
T-63	1"	Malleable Iron
T-64	1 1/4"	Malleable Iron
T-65	1 1/2"	Malleable Iron
T-66	2"	Malleable Iron
T-67	2 1/2"	Malleable Iron
T-68	3"	Malleable Iron



(I) File No. E11077

File No. 702847 (LR-41CG thru LR-46CG)



Catalog	Trade		
Number	Size	Material	
LR-41	1/2"	Aluminum	
LR-42	3/4"	Aluminum	
LR-43	1"	Aluminum	
LR-44	1 1/4"	Aluminum	
LR-45	1 1/2"	Aluminum	
LR-46	2"	Aluminum	
LR-47	2 1/2"	Aluminum	
LR-48	3"	Aluminum	
LR-49	3 1/2"	Aluminum	
LR-50	4"	Aluminum	



LR-41CG	1/2"	Aluminum w/ Cover and Gasket
LR-42CG	3/4"	Aluminum w/ Cover and Gasket
LR-43CG	1"	Aluminum w/ Cover and Gasket
LR-44CG	1 1/4"	Aluminum w/ Cover and Gasket
LR-45CG	1 1/2"	Aluminum w/ Cover and Gasket
LR-46CG	2"	Aluminum w/ Cover and Gasket
LD C1	1 /0	Mallaghla lyan



LR-61	1/2"	Malleable Iron
LR-62	3/4"	Malleable Iron
LR-63	1"	Malleable Iron
LR-64	1 1/4"	Malleable Iron
LR-65	1 1/2"	Malleable Iron
LR-66	2"	Malleable Iron
LR-67	2 1/2"	Malleable Iron
LR-68	3"	Malleable Iron



## **Mogul Conduit Bodies**

Allows larger access to the inside of a raceway for wire pulling. Raintight.

**U** File No. E11077

File No. E11077 (MLB-47 thru MLB-50)

Catalog	Trade		Cu. In.
Number	Size	Material	of Volume
MLB-44	1 1/4"	Aluminum	40
MLB-45	1 1/2"	Aluminum	128
MLB-46	2"	Aluminum	128
MLB-47	2 1/2"	Aluminum	437
MLB-48	3"	Aluminum	437
MLB-49	3 1/2"	Aluminum	824
MLB-50	4"	Aluminum	824



**UL**) File No. E11077

File No. 702847 (T-41CG thru T-46CG)



(1 110 tion 1020 11 (1 1100 tind 1 1000)			
Catalog	Trade		
Number	Size	Material	
T-41	1/2"	Aluminum	
T-42	3/4"	Aluminum	
T-43	1"	Aluminum	
T-44	1 1/4"	Aluminum	
T-45	1 1/2"	Aluminum	
T-46	2"	Aluminum	
T-47	2 1/2"	Aluminum	
T-48	3"	Aluminum	
T-49	3 1/2"	Aluminum	
T-50	4"	Aluminum	

#### Service Entrance LB

Allows access to the interior of a conduit system for inspection, pulling and maintenance. Mounts flush against structure. Raintight.



	Catalog Number	Trade Size	Material
	1025	1/2"	Aluminum
1	1026	3/4"	Aluminum
	1027	1"	Aluminum
	1028	1 1/4"	Aluminum
	1029	1 1/2"	Aluminum
	1030	2"	Aluminum
	1028-XL	1 1/4"	Aluminum
	1030-XL	2"	Aluminum
	1030 1028-XL	2" 1 1/4"	Aluminum Aluminum

