

64680 A1/244 230V



Product features and benefits

- Robust construction for reliable, lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable to 0% with traditional amber shift

Areas of application

- Stage and theatre
- Studio, TV and film
- Professional Photography
- Club & Disco

Technical data

General product information

Product Number	54965
Product Name	64680 A1244 230V 12/CS 1/SKU
Ordering Abbreviation	64680 A1/244 230V
Brand Name	OSRAM
General Description	Single-ended, Tungsten Halogen, 500 watt, 230 volt, GY9.5

Electrical data

Nominal Wattage	500 W
Nominal Voltage	230 V

Light technical data

Luminous Flux	14500 lm
Light Center Length - LCL (mm)	36.5 mm
Color Temperature	3200 K
Color Rendering Index	100
Average Rated Life	50 h


Physical attributes

Base	GY9.5 BIPIN
Bulb Shape	T7
Diameter d (in)	0.830 in
Diameter d (mm)	21.08 mm
Reflector Coating	21.08

Additional product data

Operating Position	ANY
Total surface inside 1: appearance (cold)	Clear
Lamp Type	SINGLE END

Product datasheet



Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
54965	4008321098573	Folding box (SKU)	1	1.7 in x 1.7 in x 4.4 in	0.1 lb
54965	4008321098580	Shipping box (Case)	12	7.1 in x 5.7 in x 5.5 in	1.1 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

OSRAM does not accept liability for errors, changes and omissions.