




P2558 - 1/2" thru 10" Pipe Strap (Single Piece) (1-5/8" Series)

Pipe Straps P2558 series are designed for use with standard pipe, rigid metal conduit (RMC), or galvanized rigid conduit (GRC). These clamps are commonly used for trapeze supports, wall supports, vertical runs, pipe guides, attachment to poles, and general framing needs. For application examples, refer to our Application Showcase.

Features

- One piece
- Easy installation
- Our P2558 series is available in Electrogalvanized (EG), Hot-Dip Galvanized (HG), Stainless Steel (SS) and Aluminum (AL).
- Made in the USA
- P2558-80 and P2558-100 are available only in Electrogalvanized (EG) finish.



Catalog Number	Trade Size	Material Type	Surface Finish	Part Weight (lb/ea)	Standard Package Weight (lb)
P2558-05 EG	1/2	Steel	Electrogalvanized	0.23	11.5
P2558-05 GR	1/2	Steel	Green E-Coat	0.23	11.5
P2558-05 HG	1/2	Steel	Hot-Dip Galvanized	0.24	12
P2558-05 PL	1/2	Steel	Plain/Oil	0.23	11.5
P2558-05 SS	1/2	Stainless Steel - 304		0.23	11.5
P2558-05 ST	1/2	Stainless Steel - 316		0.23	11.5
P2558-07 AL	3/4	Aluminum		0.09	4.5
P2558-07 EG	3/4	Steel	Electrogalvanized	0.26	13
P2558-07 GR	3/4	Steel	Green E-Coat	0.26	13
P2558-07 HG	3/4	Steel	Hot-Dip Galvanized	0.28	14
P2558-07 SS	3/4	Stainless Steel - 304		0.26	13
P2558-07 ST	3/4	Stainless Steel - 316		0.26	13
P2558-10 AL	1	Aluminum		0.1	2.5
P2558-10 EG	1	Steel	Electrogalvanized	0.31	7.75
P2558-10 GR	1	Steel	Green E-Coat	0.31	7.75
P2558-10 HG	1	Steel	Hot-Dip Galvanized	0.32	8
P2558-10 SS	1	Stainless Steel - 304		0.31	7.75
P2558-10 ST	1	Stainless Steel - 316		0.31	7.75
P2558-12 EG	1 1/4	Steel	Electrogalvanized	0.35	8.75
P2558-12 GR	1 1/4	Steel	Green E-Coat	0.35	8.75
P2558-12 HG	1 1/4	Steel	Hot-Dip Galvanized	0.37	9.25



Catalog Number	Trade Size	Material Type	Surface Finish	Part Weight (lb/ea)	Standard Package Weight (lb)
P2558-12 SS	1¼	Stainless Steel - 304		0.35	8.75
P2558-12 ST	1¼	Stainless Steel - 316		0.35	8.75
P2558-15 AL	1½	Aluminum		0.13	3.25
P2558-15 EG	1½	Steel	Electrogalvanized	0.38	9.5
P2558-15 GR	1½	Steel	Green E-Coat	0.38	9.5
P2558-15 HG	1½	Steel	Hot-Dip Galvanized	0.41	10.25
P2558-15 PL	1½	Steel	Plain/Oil	0.38	9.5
P2558-15 SS	1½	Stainless Steel - 304		0.38	9.5
P2558-15 ST	1½	Stainless Steel - 316		0.38	9.5
P2558-20 AL	2	Aluminum		0.35	8.75
P2558-20 EG	2	Steel	Electrogalvanized	0.94	23.5
P2558-20 GR	2	Steel	Green E-Coat	0.94	23.5
P2558-20 HG	2	Steel	Hot-Dip Galvanized	0.96	24
P2558-20 SS	2	Stainless Steel - 304		0.94	23.5
P2558-20 ST	2	Stainless Steel - 316		0.94	23.5
P2558-20 ZD	2	Steel	Zinc Dichromate	0.94	23.5
P2558-25 AL	2½	Aluminum		0.41	10.25
P2558-25 EG	2½	Steel	Electrogalvanized	1.14	28.5
P2558-25 GR	2½	Steel	Green E-Coat	1.14	28.5
P2558-25 HG	2½	Steel	Hot-Dip Galvanized	1.17	29.25
P2558-25 SS	2½	Stainless Steel - 304		1.14	28.5
P2558-25 ZD	2½	Steel	Zinc Dichromate	1.14	28.5
P2558-30 EG	3	Steel	Electrogalvanized	1.33	33.25
P2558-30 GR	3	Steel	Green E-Coat	1.33	33.25
P2558-30 HG	3	Steel	Hot-Dip Galvanized	1.38	34.5
P2558-30 SS	3	Stainless Steel - 304		1.33	33.25
P2558-30 ST	3	Stainless Steel - 316		1.33	33.25
P2558-30 ZD	3	Steel	Zinc Dichromate	1.33	33.25
P2558-35 EG	3½	Steel	Electrogalvanized	1.52	38
P2558-35 GR	3½	Steel	Green E-Coat	1.52	38
P2558-35 HG	3½	Steel	Hot-Dip Galvanized	1.59	39.75
P2558-35 SS	3½	Stainless Steel - 304		1.52	38
P2558-35 ST	3½	Stainless Steel - 316		1.52	38
P2558-40 EG	4	Steel	Electrogalvanized	1.7	42.5
P2558-40 GR	4	Steel	Green E-Coat	1.7	42.5
P2558-40 HG	4	Steel	Hot-Dip Galvanized	1.8	45
P2558-40 SS	4	Stainless Steel - 304		1.64	41
P2558-40 ST	4	Stainless Steel - 316		1.64	41
P2558-40 ZD	4	Steel	Zinc Dichromate	1.7	42.5
P2558-50 EG	5	Steel	Electrogalvanized	1.98	39.6
P2558-50 GR	5	Steel	Green E-Coat	1.98	39.6
P2558-50 HG	5	Steel	Hot-Dip Galvanized	2.01	40.2
P2558-50 SS	5	Stainless Steel - 304		1.98	39.6
P2558-50 ST	5	Stainless Steel - 316		1.98	39.6
P2558-60 EG	6	Steel	Electrogalvanized	2.4	48
P2558-60 GR	6	Steel	Green E-Coat	2.4	48



Catalog Number	Trade Size	Material Type	Surface Finish	Part Weight (lb/ea)	Standard Package Weight (lb)
P2558-60 HG	6	Steel	Hot-Dip Galvanized	2.55	51
P2558-60 SS	6	Stainless Steel - 304		2.28	45.6
P2558-60 ST	6	Stainless Steel - 316		2.28	45.6
P2558-60 ZD	6	Steel	Zinc Dichromate	2.4	48
P2558-80 EG	8	Steel	Electrogalvanized	2.89	57.8
P2558-100 EG	10	Steel	Electrogalvanized	3.53	70.6