



## P2679 - Swivel Nut

Beam Clamp Swivel Nut P2679 is to be used when attaching Atkore beam clamps to a sloped or angled beam.

### Features

- For sloped or angled beams
- Electrogalvanized for corrosion protection
- Threaded rod sizes up to 1/2"
- This series is available in Electrogalvanized (EG).

**Materials & Finishes - Standard:**

- **Base Metal:** Steel conforms to ASTM A1011 SS GR 33, A1011 HSLAS GR 45, A36, A575, A576, or A635.
- **Electrogalvanized (EG):** Conforms to ASTM B633, Type III SC1
- **Unistrut Defender (DF):** Conforms to ASTM A1059
- **Hot Dip Galvanized (HG):** Conforms to ASTM A123 or A153
- **Perma-Green (GR):** Conforms to commercial standards for powder coating
- **Perma-Gold (ZD):** Conforms to ASTM B633, Type II SC1 or SC3
- **Plain (PL):** No finish

**Materials & Finishes - Special Metals:**

- **Stainless Steel, Type 304 (SS):** Conforms to ASTM A240 or A276, Type 304 \*
- **Stainless Steel, Type 316 (ST):** Conforms to ASTM A240 or A276, Type 316 \*
- **Aluminum (AL):** Conforms to ASTM B209, Type 1100F or 5052-H32 \*

\* These materials have different physical properties and performance characteristics. Please contact us for design support.



Catalog Number	Material Type	Surface Finish	Part Weight (lb/ea)	Standard Package Weight (lb)
P2679-4 EG	Steel	Electrogalvanized	0.04	8
P2679-8 EG	Steel	Electrogalvanized	0.06	6
P2679-6 EG	Steel	Electrogalvanized	0.05	5