Eaton PVML-5-UNV34

Catalog Number: PVML-5-UNV34

Eaton Crouse-Hinds series Champ Pro PVML LED fixture, Cool white, 100W HID equivalent, No guard, Glass lens, 5000 lumens, 127 lm/W, Die cast aluminum, No mounting module, Type V, 347-480 Vac, 45W

General specifications



Product Name Catalog Number
Eaton Crouse-Hinds series Champ Pro PVML-5-UNV34

PVML LED light fixture

UPC

662276919525

Product Length/Depth

Product Height 13.13 in

13 in

Product Weight

Product Width

12.75 in

20.8 lb

Photo is representative



Certifications and compliances

Area classification

Ordinary/Non-Hazardous Locations

Standards type

NEC/CEC

IEC

NEMA Rating

4X

Ingress protection (IP) ratings

IP66

Product specifications

Lumens

5000

Lumens per watt

127

Color temperature

Cool white

Mounting Method

No mounting module

Optical distribution

Type V

Guard type

No guard

Voltage rating

347-480 Vac

Frequency rating

50/60 Hz

Wattage

45W

Dimming

Dimmable driver

Power factor

> 0.90

Equivalent luminaire

100W HID

Material

Die cast aluminum

Lens material

Heat and impact resistant glass

Resources

3D models

SP3D Design Package - Champ Pro PVML Industrial LED Light Fixtures

Brochures

Crouse-Hinds series Global LED lighting portfolio

Crouse-Hinds series industrial LED lighting solutions

Crouse-Hinds series DLC approved lighting products

Crouse-Hinds series Champ Pro PVML LED Luminaires - 3,000 to 13,000

lumens brochure

Catalogs

Crouse-Hinds series Champ Pro PVML LED luminaires - 3,000 to 13,000 lumens catalog page

Certification reports

Champ Pro PVML Industrial LED Light Fixtures UL certification

Champ Pro PVML Industrial LED Light Fixtures Canadian certification

Installation instructions

IF 1882 - Champ VMVL and PVML LED luminaires

IF 1888 - Champ VMVL and PVML Driver Replacement

Specifications and datasheets

Eaton Specification Sheet - PVML-5-UNV34

Champ Pro PVM Industrial LED



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.

