



Load center, Homeline, 1 phase, 12 spaces, 24 circuits, 125A convertible main lugs, PoN, NEMA1, combo cover

HOM1224L125PC

Product availability: Stock - Normally stocked in distribution facility

Price\*: 187.92 USD

# Main

Product Type	Load Center	
Marketing Trade Name	Homeline	
Load Center Type	PoN Convertible Mains (lugs)	
Rated Current	125 A	
Number of Spaces	12	
Maximum Number of Single Pole Circuits	24	
Enclosure Rating	NEMA 1 indoor enclosure	
Cover Type	Combination flush/surface cover	
Electrical Connection	Lugs	

# Complementary

Max Short Circuit Current Rating	10 kA	
Maximum Number of Tandem Breakers	12	
Number of Phases	1 phase 3 wires	
Voltage Rating	120/240 V AC	
Wire Size	AWG 6AWG 2/0 aluminium AWG 6AWG 1 copper	
Busbar Material	Tin plated aluminium: busbar	
Surface Finish	Baked enamel Gray	
Box Number	6	
Bus Rated Current	125.0 A	
Height	17.9 in (455 mm)	
Width	14.3 in (362 mm)	
Depth	3.7 in (95 mm)	

# **Environment**

Ambient Air Temperature for	23 °F (-5 °C)
Operation	104 °F (40 °C)
Product Certifications	UL listed file E-6294

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

# Ordering and shipping details

Category	US1DE3C00045
Discount Schedule	DE3C
GTIN	785901876120
Returnability	Yes
Country of origin	US

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.70 in (14.478 cm)
Package 1 Width	16.20 in (41.148 cm)
Package 1 Length	20.60 in (52.324 cm)
Package 1 Weight	17.800 lb(US) (8.074 kg)
Unit Type of Package 2	PAL
Number of Units in Package 2	42
Package 2 Height	43.00 in (109.220 cm)
Package 2 Width	40.00 in (101.600 cm)
Package 2 Length	48.00 in (121.920 cm)
Package 2 Weight	748.0004 lb(US) (339.287 kg)

# **Environmental Data**

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Carbon footprint (kg CO2 eq, Total Life cycle)	42
Environmental Disclosure	Product Environmental Profile

# **Use Better**


Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACh Regulation	REACh Declaration
China RoHS Regulation	China RoHS declaration
California proposition 65	"WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov"

# **Use Again**

# Circularity Profile No need of specific recycling operations No

# **Technical Illustration**


### **Dimensions**



All dimensions are approximate. Refer to technical drawings and documents

**Technical Illustration** 

Wiring diagram



# Image of product / Alternate images

### **Alternative**



