**RFB4E Floor Box with Evolution Series Cover**

## Recessed Floor Boxes for Concrete Floors

Resource RFB® E Series Floor Boxes are versatile recessed activation solutions that provide power, communication and/or A/V services to open space areas, or directly to workstations. Resource RFB E Series Floor Boxes are available in two- to six-gang models with a variety of aesthetic cover options including colors and profiles available.

Resource RFB E Series Floor Boxes have many applications, including schools, financial institutions, commercial office buildings, and hospitality.

**PRODUCTS: RFB2E, RFB2E-OG, RFB4E, RFB4E-OG, RFB6E, RFB6E-OG**

## Features & Benefits

- **Installs in bare concrete and terrazzo floors.** By using bare floor and terrazzo rings (sold separately) these boxes can be installed in bare concrete or terrazzo floors with a clean, aesthetic finish.
- **Lightweight “slab-on-grade” version.** Special fusion-bonded epoxy corrosion resistant paint finish allows for slab-on-grade use without the weight of cast iron material.
- **Fully adjustable before and after the concrete pour.** Labor savings by adapting to various pour depths and conditions.
- **Range of conduit sizes.** Standard box allows for most conduit schemes, even feed-through capability, which saves time and money during installation. KOs range from 3/4" to 1 1/4" trade size.
- **2" Conduit Hub.** By using 2HUB (sold separately) with the RFB2E & RFB4E Floor Boxes, a greater capacity of pre-terminated cables can be brought into the shallower box increasing the functionality and reducing concrete pours.
- **Triple service boxes.** Accommodates power, communication and/or audio/video devices which reduces the need for multiple boxes.
- **Uses Evolution Series Round Activation Covers.** Provides TopGuard protection from water, dirt and debris plus added strength and durability. Now available in six decorative powder coat finishes: Black, Brass, Nickel, Gray, Bronze and Aluminum for carpet, tile and furniture feed versions.
- **Wide variety of device mounting brackets.** Can adapt to most power and communication needs. Reduces overall life cycle cost.
- **Datacom connectivity options.** Accepts industry standard and proprietary devices from a wide range of manufacturers to provide a seamless and aesthetically pleasing interface for voice, data, audio, and video applications at the point-of-use. A wide selection of data and adapter options are available for use with Ortronics TracJack and Series II devices.
- **NAFTA versions.** Evolution Series Covers are now available in versions that meet NAFTA requirements.

## Vertical Markets

- Commercial
- Healthcare
- Hospitality
- Education
- Retail
- Financial

## Compliance



**cULus Listed** Metallic Outlet Boxes for tile, terrazzo, carpet and wood floors.  
File E2961 Guide QCIT/7.



Protection from water,  
dirt, and debris.


## RFB Series Floor Boxes with Round Activations Selection Guide

Box Model	Install Floor Type:		Box Type:	Box Capacity:	Depth Behind Plates:	A/V Compatibility	Trade Size Conduit Feed:	Cover Style	Country of Origin	Adjustability
<b>RFB2E</b>	Yes	No	Above Grade	2 Gangs	3 1/2" (89mm)	Legrand AVIP, Altinex Intera, Extron AAP, MAAP & Decorator, Ortronics Series II	3/4" – 2"	Evolution 6CT2, 6CTC2 & 6CFFTC Series	Mexico	<div> <div>↑</div> <div>Fully Adjustable</div> <div>↓</div> </div>
<b>RFB2E-OG</b>	Yes	No	On-Grade	2 Gangs	3 1/2" (89mm)		3/4" – 2"		Mexico	
<b>RFB4E</b>	Yes	No	Above Grade	4 Gangs	3 1/2" (89mm)		3/4" – 2"		Mexico	
<b>RFB4E-OG</b>	Yes	No	On-Grade	4 Gangs	3 1/2" (89mm)		3/4" – 2"		Mexico	
<b>RFB6E</b>	Yes	No	Above Grade	6 Gangs	3 1/4" (83mm)		3/4" – 1 1/4"	Evolution 8CT2 & 8CTC2 Series	Mexico	
<b>RFB6E-OG</b>	Yes	No	On-Grade	6 Gangs	3 1/4" (83mm)		3/4" – 1 1/4"		Mexico	

**NOTE:** Pricing may vary depending on country of origin. Consult your local sales representative for more information.

## RFB2E Series Floor Boxes Ordering Information


### RFB2E



**Two-Compartment Floor Box** – For use in concrete floors. For use with round Evolution covers. Fully configurable with removable dividers. Device plates sold separately.

Country of Origin: Mexico

### RFB2E-OG




**Two-Compartment On-Grade Floor Box** – For use in concrete floors. For use with round Evolution covers. Fully configurable with removable dividers. Device plates sold separately.

**NOTE:** RFB2E-OG for on-grade applications is painted with a fusion-bonded epoxy designed for use on metal reinforcement bar and related accessories before encapsulating in concrete.

Country of Origin: Mexico


## RFB2E Series Floor Boxes Compartment Capacities/Knockout Locations & Sizes

RFB2E & RFB2E-OG COMPARTMENT CAPACITIES	
EACH COMPARTMENT	70 in. <sup>3</sup> (1147ml.)



## RFB2E, RFB2E-0G Series Floor Box Accessories Ordering Information


### RFB4EKIT



**Barrier Kit** – Barrier kit used to separate power and communication services in combination with a 6CFFTC Furniture Feed Cover (sold separately).

Country of Origin: Mexico


### RFB6DP



**Internal Duplex Receptacle Bracket** – Accepts standard 15 & 20 Amp duplex receptacles.

Country of Origin: USA


### RFB6B



**Internal Blank Bracket** – Closes off unused gangs.

Country of Origin: USA


### RFB6GFI



**Internal GFI or Decorator Style Receptacle Bracket** – Accepts standard GFCI & Decorator style receptacles, communication or A/V devices.

Country of Origin: USA


### RFB6S1



**Internal Single Receptacle Bracket** – Receptacle opening 1 3/8" (35mm).

Country of Origin: USA


### RFB6S2



**Internal Single Receptacle Bracket** – Receptacle opening 1 9/16" (40mm).

Country of Origin: USA


### RFB6RT



**Internal Communication Bracket** – Includes two (2) adapters to accept Ortronics TracJack devices, and two (2) adapters to accept Ortronics Series II devices (sold separately).

Country of Origin: USA


### RFB6EXT



**Internal Audio/Video Bracket** – Accepts three (3) Legrand AVIP or Extron Electronics MAAP Series devices (sold separately).

Country of Origin: USA


### RFB62A



**Internal Communication Bracket** – Includes two (2) adapters to accept Wiremold CM2 Series Open System communication inserts (sold separately).

Country of Origin: USA


### RFB6-AAP



**Internal Audio/Video Bracket** – Accepts two (2) Extron Electronics AAP Series devices (sold separately).

Country of Origin: USA


### 2HUB



**2" Conduit Transition Hub** – Trade size 2" die cast zinc conduit fitting allows for 2" conduit to transition into a shallow box design. Includes: die cast fitting, gasket, and mounting screws.

Country of Origin: USA


### RFB4E-CTR



**Bare Concrete & Terrazzo Ring** – Nonmetallic ring for use with bare concrete and terrazzo floor applications.

Country of Origin: USA

### 6TS




**Tile Shim** – Used for floor coverings greater than 5/16" (7.9mm). The 6TS will allow the top surface of the cover to be flush with the finished floor. Includes: six (6) 1/16" (1.6mm) thick shims. Up to a total of 3/8" (9.5mm) of adjustment, per pack of tile shims.

Country of Origin: USA

## RFB4E, RFB4E-OG Floor Box Ordering Information


### RFB4E



**Four-Compartment Floor Box** – For use in concrete floors. For use with the round Evolution cover. Fully adjustable with tunnel compartments. Device Plates sold separately.

Country of Origin: Mexico

### RFB4E-OG




**Four-Compartment On-Grade Floor Box** – For use in concrete floors. For use with the round Evolution cover. Fully adjustable with tunnel compartments. Device Plates sold separately.

Country of Origin: Mexico

**NOTE:** RFB4E-OG for on-grade applications is painted with a fusion-bonded epoxy designed for use on metal reinforcement bar and related accessories before encapsulating in concrete.


## RFB4E, RFB4E-OG Floor Box Compartment Capacities and Knockout Locations and Sizes

RFB4E & RFB4E-OG COMPARTMENT CAPACITIES	
EACH COMPARTMENT	75 in. <sup>3</sup> (1230ml.)



## RFB4E, RFB4E-0G Floor Box Accessories Ordering Information


### RFB4EKIT



**Barrier Kit** – Barrier kit used to separate power and communication services in combination with a 6CFFTC Furniture Feed Cover. (sold separately).

Country of Origin: Mexico


### RFB6EXT



**Internal Audio/Video Bracket** – Accepts three (3) Legrand AVIP or Extron Electronics MAAP Series devices (sold separately).

Country of Origin: USA


### RFB6DP



**Internal Duplex Receptacle Bracket** – Accepts standard 15 & 20 Amp duplex receptacles.

Country of Origin: USA


### RFB62A



**Internal Communication Bracket** – Includes two (2) adapters to accept Wiremold CM2 Series Open System communication inserts (sold separately).

Country of Origin: USA


### RFB6B



**Internal Blank Bracket** – Closes off unused gangs.

Country of Origin: USA


### RFB6-AAP



**Internal Audio/Video Bracket** – Accepts two (2) Extron Electronics AAP Series devices (sold separately).

Country of Origin: USA


### RFB6GFI



**Internal GFI or Decorator Style Receptacle Bracket** – Accepts standard GFCI & Decorator style receptacles, communication or AV devices.

Country of Origin: USA


### 2HUB



**2" Conduit Transition Hub** – Trade size 2" die cast zinc conduit fitting allows for 2" conduit to transition into a shallow box design. Includes: die cast fitting, gasket, and mounting screws.

Country of Origin: USA


### RFB6S1



**Internal Single Receptacle Bracket** – Receptacle opening 1 3/8" (35mm).

Country of Origin: USA


### RFB4E-CTR



**Bare Concrete & Terrazzo Ring** – Nonmetallic ring for use with bare concrete and terrazzo floor applications.

Country of Origin: USA


### RFB6S2



**Internal Single Receptacle Bracket** – Receptacle opening 1 9/16" (40mm).

Country of Origin: USA


### 6TS



**Tile Shim** – Used for floor coverings greater than 5/16" (7.9mm). The 8TS will allow the top surface of the cover to be flush with the finished floor. Includes: two (2) 1/8" (3.2mm) and two (2) 1/16" (1.6mm) thick shims. Up to a total of 3/8" (9.5mm) of adjustment per pack of tile shims.

Country of Origin: USA

### RFB6RT



**Internal Communication Bracket** – Includes two (2) adapters to accept Ortronics TracJack devices, and two (2) adapters to accept Ortronics Series II devices (sold separately).

Country of Origin: USA




## Evolution Series Series Cover Assemblies for RFB2E & RFB4E Series Floor Boxes

6CTC2BK  
6CTC2BS  
6CTC2BZ  
6CTC2NK  
6CTC2AL  
6CTC2GY

### Surface Style Cover Assembly –

Low profile cover. Each cover is made from die-cast aluminum materials and equipped with a durable hinge which allows the cover to rotate open 180°, two (2) slide egress doors that lock in the open position and auto close around the cables when the covers are closed, and an 8° beveled edge that meets ADA guidelines and reduces tripping hazards. These covers are designed to sit on top of the finished floor surface such as: carpet, tile, wood, polished concrete and terrazzo. Available in six (6) aesthetic powder-coated finishes: Black (BK), Brass (BS), Gray (GY), Nickel (NK), Bronze (BZ), and Aluminum (AL).

Country of Origin: India




6CT2BK  
6CT2BS  
6CT2BZ  
6CT2NK  
6CT2AL  
6CT2GY

### Flush-Style Cover Assembly –

Low profile covers. Each cover is made from die-cast aluminum materials and equipped with a durable hinge which allows the cover to rotate open 180°, and two (2) slide egress doors that lock in the open position and auto close around the cables when the covers are closed. These covers are designed to sit flush with the finished floor surface such as tile and wood. Available in six (6) aesthetic powder-coated finishes: Black (BK), Brass (BS), Gray (GY), Nickel (NK), Bronze (BZ), and Aluminum (AL).

**NOTE:** Includes 6TS Tile Shim.

Country of Origin: India




6CTC2BKTR  
6CTC2BSTTR  
6CTC2BZTR  
6CTC2NKTR  
6CTC2ALTR  
6CTC2GYTR

### Tamper-Resistant Surface Style Cover Assembly –

Low profile cover. Each cover is made from die-cast aluminum materials and equipped with a tamper-resistant screw to keep out unauthorized personnel, a durable hinge which allows the cover to rotate open 180°, two (2) slide egress doors that lock in the open position and auto close around the cables when the covers are closed, and an 8° beveled edge that meets ADA guidelines and reduces tripping hazards. These covers are designed to sit on top of the finished floor surface such as: carpet, tile, wood, polished concrete and terrazzo. Available in six (6) aesthetic powder-coated finishes: Black (BK), Brass (BS), Gray (GY), Nickel (NK), Bronze (BZ), and Aluminum (AL).

Country of Origin: India




6CT2BKTR  
6CT2BSTTR  
6CT2BZTR  
6CT2NKTR  
6CT2ALTR  
6CT2GYTR

### Tamper-Resistant Flush-Style Cover Assembly –

Low profile covers. Each cover is made from die-cast aluminum materials and equipped with a tamper-resistant screw to keep out unauthorized personnel, a durable hinge which allows the cover to rotate open 180°, and two (2) slide egress doors that lock in the open position and auto close around the cables when the covers are closed. These covers are designed to sit flush with the finished floor surface such as tile and wood. Available in six (6) aesthetic powder-coated finishes: Black (BK), Brass (BS), Gray (GY), Nickel (NK), Bronze (BZ), and Aluminum (AL).

**NOTE:** Includes 6TS Tile Shim.

Country of Origin: India



**NOTE:** All surface-style poke-thru devices come with a transition angle to aid in the change in floor elevation.

Six finishes are available to ensure the device will seamlessly match your environment.





Aluminum Nickel Brass Gray Bronze Black

## Evolution Series Series Cover Assemblies for RFB2E & RFB4E Series Floor Boxes

**6CFFTCBK**  
**6CFFTC2BS**  
**6CFFTC2BZ**  
**6CFFTC2NK**  
**6CFFTC2GY**  
**6CFFTC2AL**

**Furniture Feed Cover Assembly –**  
 Surface style, die-cast aluminum cover assembly, with one (1) 3/4" trade size screw plug opening and one (1) concentric 2"-1 1/4" trade size screw plug opening. Includes one (1) 3/4" and one (1) 2" trade size conduit fitting. Available in five (5) aesthetic powder-coated finishes: Black (BK), Brass (BS), Gray (GY), Nickel (NK), Bronze (BZ) and Aluminum (AL).




**Country of Origin: India**



## RFB6E, RFB6E-OG Floor Box Ordering Information


### RFB6E



**Six-Compartment Floor Box** – For use in concrete floors. For use with the round Evolution cover. Fully adjustable with tunnel compartments. Supplied with two (2) duplex mounting plates. Other plates sold separately.

Country of Origin: Mexico

### RFB6E-OG




**Six-Compartment On-Grade Floor Box** – For use in concrete floors. For use with the round Evolution cover. Fully adjustable with tunnel compartments. Supplied with two (2) duplex mounting plates. Other plates sold separately.

Country of Origin: Mexico

**NOTE:** RFB6E-OG for on-grade applications is painted with a fusion-bonded epoxy designed for use on metal reinforcement bar and related accessories before encapsulating in concrete.

## RFB6E, RFB6E-OG Floor Box Compartment Capacities and Knockout Locations and Sizes

### Side Knockout Locations




### KNOCKOUTS

A = Side KO 1 1/4" (32mm)  
B = Side KO 1" (25mm)  
C = Side KO 3/4" (19.1mm)

Feed through is accomplished through removable plugs.


### Bottom Knockout Locations Compartment Wire and Communication Capacities



### COMPARTMENT CAPACITIES


C = Power or Data 52 in<sup>3</sup> (852ml)  
D = Power or Data 23 in<sup>3</sup> (376ml)

## RFB6E, RFB6E-OG Floor Box Accessories Ordering Information

**RFB6DP**



**Internal Duplex Receptacle Bracket** – Accepts standard 15 & 20 Amp duplex receptacles.

**Country of Origin: USA**

**RFB62A**



**Internal Communication Bracket** – Includes two (2) adapters to accept Wiremold CM2 Series Open System communication inserts (sold separately).

**Country of Origin: USA**

**RFB6B**



**Internal Blank Bracket** – Closes off unused gangs.

**Country of Origin: USA**

**RFB6-AAP**



**Internal Audio/Video Bracket** – Accepts two (2) Extron Electronics AAP Series devices (sold separately).

**Country of Origin: USA**

**RFB6GFI**



**Internal GFI or Decorator Style Receptacle Bracket** – Accepts standard GFCI & Decorator style receptacles, communication or A/V devices.

**Country of Origin: USA**

**RFB6E-CTR**



**Bare Concrete & Terrazzo Ring** – Nonmetallic ring for use with bare concrete and terrazzo floor applications.

**Country of Origin: USA**

**RFB6S1**



**Internal Single Receptacle Bracket** – Receptacle opening 1 3/8" (35mm).

**Country of Origin: USA**

**8TS**



**Tile Shim** – Used for floor coverings greater than 5/16" (7.9mm). The 8TS will allow the top surface of the cover to be flush with the finished floor. Includes: two (2) 1/8" (3.2mm) and two (2) 1/16" (1.6mm) thick shims. Up to a total of 3/8" (9.5mm) of adjustment per pack of tile shims.

**Country of Origin: USA**

**RFB6S2**



**Internal Single Receptacle Bracket** – Receptacle opening 1 9/16" (40mm).

**Country of Origin: USA**

**RFB6RT**


**Internal Communication Bracket** – Includes two (2) adapters to accept Ortronics TracJack devices, and two (2) adapters to accept Ortronics Series II devices (sold separately).

**Country of Origin: USA**

**RFB6EXT**


**Internal Audio/Video Bracket** – Accepts three (3) Legrand AVIP or Extron Electronics MAAP Series devices (sold separately).

**Country of Origin: USA**


## Evolution Series Series Cover Assemblies for RFB6E Series Floor Boxes

8CTC2BK  
8CTC2BS  
8CTC2BZ  
8CTC2NK  
8CTC2AL  
8CTC2GY

### Surface Style Cover Assembly –

Low profile cover designed to attach to the 8STC and 8STCP Poke-Thru Stem Assemblies. Each cover is made from die-cast aluminum materials and equipped with a durable hinge which allows the cover to rotate open 180°, two (2) slide egress doors that lock in the open position and auto close around the cables when the covers are closed, and an 8° beveled edge that meet ADA guidelines and reduces tripping hazards. These covers are designed to sit on top of the finished floor surfaces such as: carpet, tile, wood, polished concrete and terrazzo. Available in six (6) aesthetic powder-coated finishes: Black (BK), Brass (BS), Gray (GY), Nickel (NK), Bronze (BZ) and Aluminum (AL).

Country of Origin: India




8CT2BK  
8CT2BS  
8CT2BZ  
8CT2NK  
8CT2AL  
8CT2GY

### Flush-Style Cover Assembly –

Low profile covers that are designed to attach to the 8STC and 8STCP Poke-Thru Stem Assemblies. Each cover is made from die-cast aluminum materials and equipped with a durable hinge which allows the cover to rotate open 180°, and two (2) slide egress doors that lock in the open position and auto close around the cables when the covers are closed. These covers are designed to sit flush with the finished floor surfaces such as tile and wood. Available in six (6) powder-coated finishes: Black (BK), Brass (BS), Gray (GY), Nickel (NK), Bronze (BZ) and Aluminum (AL).

**NOTE:** Includes 8TS Tile Shim.

Country of Origin: India




8CTC2BKTR  
8CTC2BSTR  
8CTC2BZTR  
8CTC2NKTR  
8CTC2ALTR  
8CTC2GYTR

### Tamper-Resistant Surface Style Cover Assembly –

Low profile cover designed to attach to the 8STC and 8STCP Poke-Thru Stem Assemblies. Each cover is made from die-cast aluminum materials and equipped with a tamper-resistant screw to keep out unauthorized personnel, a durable hinge which allows the cover to rotate open 180°, two (2) slide egress doors that lock in the open position and auto close around the cables when the covers are closed, and an 8° beveled edge that meet ADA guidelines and reduces tripping hazards. These covers are designed to sit on top of the finished floor surface such as: carpet, tile, wood, polished concrete and terrazzo. Available in six (6) aesthetic powder-coated finishes: Black (BK), Brass (BS), Gray (GY), Nickel (NK), Bronze (BZ) and Aluminum (AL).

Country of Origin: India




8CT2BKTR  
8CT2BSTR  
8CT2BZTR  
8CT2NKTR  
8CT2ALTR  
8CT2GYTR

### Tamper-Resistant Flush-Style Cover Assembly –

Low profile covers that are designed to attach to the 8STC and 8STCP Poke-Thru Stem Assemblies. Each cover is made from die-cast aluminum materials and equipped with a tamper-resistant screw to keep out unauthorized personnel, a durable hinge which allows the cover to rotate open 180°, and two (2) slide egress doors that lock in the open position and auto close around the cables when the covers are closed. These covers are designed to sit flush with the finished floor surfaces such as tile and wood. Available in six (6) powder-coated finishes: Black (BK), Brass (BS), Gray (GY), Nickel (NK), Bronze (BZ) and Aluminum (AL).

**NOTE:** Includes 8TS Tile Shim.

Country of Origin: India



**NOTE:** All brand and product names referenced in this document are registered trademarks or trademarks of their respective holders.

---



**NOTE:** The paper used to print this document is an environmentally responsible paper with 10% post consumer waste, with FSC and SFI Chain of Custody certifications, Lacey Act complaint. 100% of the electricity used to manufacture Flo sheets is generated with Green-e certified renewable energy.



**Legrand, North America**  
60 Woodlawn Street  
West Hartford, CT 06110  
1.877.BY.LEGRAND (295.3472)  
[www.legrand.us](http://www.legrand.us)

**Canada**  
905.738.9195  
[www.legrand.ca](http://www.legrand.ca)

